

DIRECTIONS: Please follow the SOFA specific flow rates, sump specifications, and flow path zone information below. The installation must conform to these minimum/maximum requirements including the SOFA dimension defined in Figure 1. The flow path zone is defined by dimensions A through E. The installed sump may be manufactured or field-built and it may be larger/deeper than Figure 1. Please write the Cover Model Number, orientation, and SOFA Model Flow Rating on the *VGBA DRAIN COVER IDENTIFICATION INFORMATION* label that comes with each AquaStar Pool Products, Inc. drain cover.

Cover Model Number:
WAV12WRxxx






FIGURE 1 – SOFA MODEL & FLOW PATH



FOR MOST CURRENT INFORMATION
SCAN THE QR CODE OR VISIT
WWW.AQUASTARPOOLPRODUCTS.COM/FLOWCODE
PRINTED DOCUMENTS MAY NOT HAVE THE MOST CURRENT FLOW RATINGS OR INSTALLATION OPTIONS.



SOFA Model No.	Pipe Size (Nominal)	Pipe Depth (Minimum)	Orientation (Wall / Floor)	Flow Rating (GPM)	Head Loss Curve
WAV12WR-12f_A-1.5b_B3_C0.3_D0.7_E3.5_F16	1.5" (b)	3"	Floor (f)	126	A
WAV12WR-12f_A-2b_B3_C0.3_D0.7_E4.9_F16	2" (b)	3"	Floor (f)	150	B
WAV12WR-12f_A-2.5b_B3_C0.3_D0.7_E4.7_F16	2.5" (b)	3"	Floor (f)	200	C
WAV12WR-12f_A-3b_B3_C0.3_D0.7_E4.5_F16	3" (b)	3"	Floor (f)	230	D
WAV12WR-12f_A-4s_B6_C0.3_D0.7_E3_F16	[Sump P/N 12-3SB] 4" (s)	6"	Floor (f)	450	E
WAV12WR-12f_A-4s,2.5b_B6_C0.3_D0.7_E3_F16	[Sump P/N 12-3SB] 4"(s), 2.5" (b)	6"	Floor (f)	450	F
WAV12WR-12f_A-6b_B10.5_C0.3_D0.7_E2.9_F16	[Sump P/N 12-6SB] 6" (b)	10.5"	Floor (f)	450	G
WAV12WR-12w_A-1.5b_B3_C0.3_D0.7_E3.5_F16	1.5" (b)	3"	Wall (w)	126	H
WAV12WR-12w_A-2b_B3_C0.3_D0.7_E3.5_F16	2" (b)	3"	Wall (w)	150	I
WAV12WR-12w_A-2.5b_B3_C0.3_D0.7_E4.7_F16	2.5" (b)	3"	Wall (w)	200	J
WAV12WR-12w_A-3b_B3_C0.3_D0.7_E4_F16	3" (b)	3"	Wall (w)	230	K
WAV12WR-12w_A-6b_B10.5_C0.3_D0.7_E2.9_F16	[Sump P/N 12-6SB] 6" (b)	10.5"	Wall (w)	450	L

Note 1: "SOFA Model No" nomenclature; bottom pipe = (b), sde pipe = (s). See Fig 1 for capital letters A through E

Note 2: Head loss inHg is measured 16 to 24 inches from the finish surface of the pool. Reference Fig 1 dimension F.

