

## **PERFORATION GUIDE**



## **Our Baskets Are Built to Last**


The strainer basket is a significant cost in the production of a basket strainer. The basket also represents the most costly replacement component for the end user. In an effort to maximize the value to the customer, Fluidtrol offers durable baskets that are built to last. We have one basket design - extra heavy duty. Our basket flange is laser cut from 12 gauge stainless, making this potentially weak point super strong. The perforated metal gauge is also a very easy differentiator for Fluidtrol and is summarized below.

| 2" - 10" Strainers | " - 10" Strainers 12" to 16" Strainers |          |
|--------------------|--|----------|
| 18 Gauge           | 16 Gauge                               | 14 Gauge |

## BASKET DIMENSIONS AND ENGINEERING DATA

## **Standard & Customized Baskets**

Fluidtrol's standard basket is constructed from 1/8" Perf @ 3/16" staggered centers. However, we have the capability to fabricate baskets with a variety of hole size and open area to meet the particular design requirement. All baskets are made entirely of SS316. Below are common perforation examples. Please contact us for your requirements.



|     | Strainer Size<br>Inches | Dimension A<br>Inches | Dimension B<br>Inches | Basket Area<br>Square Inches | Basket: Pipe<br>Area Ratio | Open Area: Pipe<br>Area Ratio<br>(40% Open Perf.) |
|-----|-------------------------|-----------------------|-----------------------|------------------------------|----------------------------|---|
|     | 3                       | 9                     | 4                     | 100.5                        | 15.6 : 1                   | 6.2 : 1   |
|     | 4                       | 12-1/2                | 5-1/5                 | 192.1                        | 17.1 : 1                   | 6.8 : 1   |
|     | 6                       | 15-1/2                | 7-1/2                 | 320.9                        | 12.5 : 1                   | 5.0 : 1   |
|     | 8                       | 20-1/8                | 9                     | 505.2                        | 11.2 : 1                   | 4.5 : 1   |
|     | 10                      | 25-3/8                | 10                    | 718.3                        | 10.2 : 1                   | 4.1 : 1   |
|     | 12                      | 32                    | 11                    | 1010.3                       | 10.1 : 1                   | 4.0 : 1   |
| ←B→ | 14                      | 37                    | 15                    | 1566.1                       | 13 : 1                     | 5.2 : 1   |