

WINTER COVER

OWNER'S INSTRUCTIONS AND WARRANTY INFORMATION

COVER PERFORMANCE

The Winter Cover is manufactured from a special fabric developed exclusively for GLI POOL PRODUCTS. Material development specification required the fabric to withstand the environmental extremes of cold and heat. The finished product had to withstand harsh Canadian winters as well as the intense sun conditions found in Arizona. The Winter Cover is lightweight for ease of handling, yet has the strength and durability to merit an extended warranty. Years of trouble-free use in the marketplace has confirmed the success of this product.

The Winter cover is designed to:

1. Keep the dirt and debris out of your pool during the non-swimming months when your pool is closed. When combined with a proper winterizing program, the cover is especially effective.
2. Protect your investment by sheltering your pool from the wear and tear of winter weather.

In performing its job, the winter cover will be subjected to considerable abuse. It will become dirty, grimy and some calcified matter may form on the cover. This appearance does not mean that your cover is of inferior material or construction. To the contrary, it indicates the cover is doing its job of "saving your pool" from the destructive forces of nature.

WINTER COVER INSTALLATION - IN GROUND

- ❑ The cover rests upon and is supported by the pool water. Therefore, prior to cover installation, it is important to make sure the pool is not leaking.
- ❑ Follow the pool manufacturer's/builder's winterizing instructions for your pool and accessories.
- ❑ Consult with your pool dealer on the appropriate winterizing chemicals to be used. The pool must be chlorinated until freeze-up to prevent algae growth.
- ❑ Although your winter cover is made of a tough material, it is required that you pad sharp corners, abrasive decking, protrusions, rough edges of the coping, etc. with old towels, foam remnants or corrugated cardboard, etc.
- ❑ Lower the water level in your pool below the skimmer (approximately 18 inches down from the coping) to prevent freezing.
- ❑ Lay out the cover on the ground, black side down. Then spread it across the pool.
- ❑ For covers with straps, insert the unfilled vinyl water tubes through the straps around the complete perimeter of the pool. It is important to lay the water tubes end to end to prevent the wind from getting under the cover. A billowing wind condition can cause serious damage to your cover. If the tubes are to be subjected to freezing temperatures, they should be half filled, allowing for ice expansion to prevent damage.
- ❑ When the cover is installed on the pool, it is normal for a small amount of water to seep onto the surface of the cover.

WINTER COVER INSTALLATION - ABOVE GROUND

- ❑ The cover rests upon and is supported by the pool water. Therefore, prior to cover installation, it is important to make sure the pool is not leaking.
- ❑ Follow the pool manufacturer's/builder's winterizing instructions for your pool and accessories.
- ❑ Consult with your pool dealer on the appropriate winterizing chemicals to be used. The pool must be chlorinated until freeze-up to prevent algae growth.
- ❑ Although your winter cover is made of tough material, it is required that you pad sharp corners, abrasive decking, protrusions, rough edges of the coping, etc. with old towels, foam remnants, corrugated cardboard, etc. Also, place padding underneath the winch (non-deck pools only).
- ❑ Lower the water level in your pool below the skimmer and return lines (approximately 18 inches down from the coping) to prevent freezing.
- ❑ Weave cable through grommets all the way around the cover. Insert one end of the cable through the hole at the end of the winch and into spindle. Insert the other end of the cable through the hole on the opposite side of the winch and into the same spindle. Pull both ends of the cable through as far as possible. Start turning winch to tighten the cover. If material bunches or gathers, simply walk around the pool and position neatly.
- ❑ When the cover is installed on the pool, it is normal for a small amount of water to seep onto the surface of the cover.
- ❑ For deck pools, place the cover over the pool with the black side down. Either weave the cable through the grommet and between the pool deck stanchions (posts) or run short pieces of cable from the grommet to the individual stanchions.
- ❑ It is important to secure the cover properly to assure that the cover is not subjected to wind damage.

WINTER COVER CARE AND MAINTENANCE

Proper care in handling, storing and maintaining your cover will prolong its useful life.

1. **DO NOT** use abrasive materials such as concrete blocks, bricks and boards to hold a cover down.
2. **DO NOT** use milk jugs or other weights attached to grommets to hold down cover.
3. **DO NOT** remove leaves or debris from the cover with a sharp object such as a rake.
4. **DO NOT** install a cover without padding sharp corners, decking protrusions, rough edges of the coping, etc.
5. **DO NOT** store your cover without cleaning it with water (mild detergent if necessary) and soft brush prior to drying thoroughly to prevent mildew. If excess humidity or moisture is a storage concern, the cover can be dusted with talcum powder.
6. **DO NOT** allow water, snow or ice to accumulate on top of your cover.
7. **DO NOT** remove your cover from the pool without first pumping all the water off the cover.



WARNING!

AVOID DROWNING RISK

- STAY OFF COVER -- WILL NOT SUPPORT WEIGHT
- KEEP CHILDREN AWAY. CHILDREN OR OBJECTS CANNOT BE SEEN UNDER COVER
- CHILD CAN DROWN ON TOP OF COVER
- REMOVE COVER(S) COMPLETELY BEFORE ENTRY OF BATHERS - ENTRAPMENT POSSIBLE
- FAILURE TO FOLLOW ALL INSTRUCTIONS MAY RESULT IN INJURY OR DROWNING
- THIS IS NOT A SAFETY COVER

IF YOU WISH TO MAKE A CLAIM, CALL TOLL FREE
1-800-448-2343.

REGISTER ONLINE AT
WWW.GLIPOOLPRODUCTS.COM.