



## Rip Tide Slide Specifications

### Product Numbers and Shipping Weights:

Model Number	Description	Shipping Weights
GPPSRT-GRAY-R	Rip Tide – Gray Granite Right	225 lbs (102 kg)
GPPSRT-SAND-R	Rip Tide – Sandstone Granite Right	225 lbs (102 kg)
GPPSRT-GRAY-L	Rip Tide – Gray Granite Left	225 lbs (102 kg)
GPPSRT-SAND-L	Rip Tide – Sandstone Granite Left	225 lbs (102 kg)
GPPSRT-GRAY-R-LED	Rip Tide – Gray Granite Right w/ Light Pkg	235 lbs (106.6 kg)
GPPSRT-SAND-R-LED	Rip Tide – Sandstone Granite Right w/ Light Pkg	235 lbs (106.6 kg)
GPPSRT-GRAY-L-LED	Rip Tide – Gray Granite Left w/ Light Pkg	235 lbs (106.6 kg)
GPPSRT-SAND-L-LED	Rip Tide – Sandstone Granite Left w/ Light Pkg	235 lbs (106.6 kg)

### Broad Description:

The Rip Tide Slide is a sturdy, durable roto-molded slide with enclosed plumbing for a clean finished look. The Rip Tide is available in Sandstone or Gray Granite finishes and has the option of an LED lighting package.

### Utilization:

The Rip Tide is intended for in-ground residential swimming pools only. Our multi-point anchoring system allows the Rip Tide to accommodate most geographical regions. The slide is rated for a maximum of 275 lb. (124 kg) for its riders.

### Specifications:




- § The ladder is enclosed with nine (9) coping style steps for a safe and easy climbing.
- § The two (2) handrails are roto-molded into the ladder with two (2) optional widths for a comfortable climb for most riders.
- § The slide runway has a twenty-four (24) inch wide seating area made of a thick, durable roto-molded plastic.
- § The water delivery system is enclosed within the roto-molded ladder for a clean look. Water is delivered with a 1" PVC hose to allow maximum water coverage on the flume at 25 gpm.
- § The Rip Tide is anchored to the pool deck with ½" diameter stainless anchor studs with attaching hardware.

Global Pool Products  
 684 N. Port Crescent, Suite C  
 Bad Axe, MI 48413  
 P: 989-269-5900 TF: 866-712-0606  
 Fax: 989-269-5902

The information contained in this document is proprietary and confidential to Global Pool Products and not to be reproduced without written consent from Global Pool Products

[www.global-poolproducts.com](http://www.global-poolproducts.com)

## Rip Tide Slide Specifications




Global Pool Products  
 684 N. Port Crescent, Suite C  
 Bad Axe, MI 48413  
 P: 989-269-5900 TF: 866-712-0606  
 Fax: 989-269-5902

The information contained in this document is proprietary and confidential to Global Pool Products and not to be reproduced without written consent from Global Pool Products

[www.global-poolproducts.com](http://www.global-poolproducts.com)

## Rip Tide Water Safety Envelope



Global Pool Products  
684 N. Port Crescent, Suite C  
Bad Axe, MI 48413  
P: 989-269-5900 TF: 866-712-0606  
Fax: 989-269-5902

The information contained in this document is proprietary and confidential to Global Pool Products and not to be reproduced without written consent from Global Pool Products

[www.global-poolproducts.com](http://www.global-poolproducts.com)