HAVILAND CONSUMER PRODUCTS, INC SAFETY DATA SHEET



Section 1: Identification

Product Name: Hav. Anti Foam Product Code: C003283

Haviland Consumer Products, Inc. 421 Ann Street NW Grand Rapids, MI 49504 (616) 361-6691

Emergency Phone CHEMTREC (800) 424-9300 CHEMTREC International (703) 527-3887

Product Use: NA

Not recommended for: NA

Section 2: Hazard(s) Identification

GHS Ratings:

Skin corrosive 3 Reversible adverse effects in dermal tissue, Draize score: >=

1.5 < 2.3

Skin sensitizer 1 Skin sensitizer

Organ toxin single exposure 3 Transient target organ effects- Narcotic effects- Respiratory

tract irritation

GHS Hazards

H316	Causes mild skin irritation
H317	May cause an allergic skin
	reaction
H336	May cause drowsiness or
	dizziness

GHS Precautions

P261	Avoid breathing
	dust/fume/gas/mist/vapors/spray
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P280	Wear protective gloves/protective clothing/eye protection/face protection
P312	Call a POISON CENTER or
	doctor/physician if you feel unwell
P321	Specific treatment (see first aid
	treatment on SDS)
P363	Wash contaminated clothing before
	reuse
P302+P352	IF ON SKIN: Wash with soap and water
P304+P340	IF INHALED: Remove victim to fresh air
	and keep at rest in a position
	comfortable for breathing
P332+P313	If skin irritation occurs: Get medical
	advice/attention
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention
P405	Store locked up
P403+P233	Store in a well ventilated place. Keep
	container tightly closed

SDS for: 1.C003283.CS20Q.Std.3 Page 1 of 5

P501

Dispose of contents/container in accordance with local/regional/national/international regulations

Printed: 5/18/2015 at 9:39:48AM

Warning



Section 3: Composition/Information on Ingredients

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Dimethyl silicone polymer with silica 67762-90-7 5 to 10%			
Triethanolamine 102-71-6 1 to 5%		5 mg/m3 TWA	

Section 4: First-aid Measures

Inhalation

Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To prevent aspiration, keep head below knees.

Eye Contact

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

Skin Contact

Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash clothing separately and clean shoes before reuse.

Ingestion

If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Section 5: Fire-fighting Measures

Flash Point: 179 C (354 F)

LEL: UEL:

Extinguishing Media

Use dry chemical, foam, or carbon dioxide.

Specific Hazards Arising from the Chemical

None known

Special Protective Equipment and Precautions for Firefighters

Special Information: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures

Spill and Leak Procedures

Block any potential routes to water systems. Recover as much of the pure product as $% \left(1\right) =\left(1\right) \left(1$

SDS for: 1.C003283.CS20Q.Std.3 Page 2 of 5

possible into appropriate containers. Use absorbent to collect spill or leak residue. Follow all local, state and federal regulations.

Section 7: Handling and Storage

Handling Procedures

Use with adequate ventilation. Avoid breathing dusts, mists, and vapors. Do not get in eyes, on skin, or on clothing. Wear eye protection and protective clothing. Wash thoroughly after handling.

STORAGE: Keep away from heat, sparks, and flame. Store containers in a cool, well ventilated place. Keep container closed when not in use. Protect from direct s

Section 8: Exposure Control/Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Dimethyl silicone polymer			
with silica			
67762-90-7			
Triethanolamine		5 mg/m3 TWA	
102-71-6			

RESPIRATORY PROTECTION: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.

SKIN PROTECTION: Wear impervious protective gloves. Wear protective gear as needed - apron, suit, boots.

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield.

OTHER PROTECTIVE EQUIPMENT: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

HYGENIC PRACTICES: Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors. Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash hands before eating.

Section 9: Physical and Chemical Properties

Appearance: Milky white liquid

Vapor Pressure: < 20 mm Hg @ 68°F

Vapor Density: > 1.0

Density: Unknown

Freezing point: Unknown

Boiling range: Approx. 212°F

Evaporation rate: Unknown

Explosive Limits: Unknown

Autoignition temperature: Unknown

Viscosity: Unknown

Odor: Mild odor

Odor threshold: Unknown

pH: 7.0 - 8.5 (Neat)

Melting point: Unknown

0,

Solubility: Dispersible

Flash point: Unknown

Flammability: Unknown

Specific Gravity 1

Decomposition temperature: Unknown

Grams VOC less water: Unknown

Section 10: Stability and Reactivity

Chemical Stability:

STABLE

Incompatibile Materials Strong oxidizing agents. Conditions to Avoid None known

SDS for: 1.C003283.CS20Q.Std.3

Page 3 of 5

Hazardous Decomposition Products

Carbon oxides. Silicon oxides.

Hazardous Polymerization

Hazardous polymerization will not occur.

Section 11: Toxicology Information

Mixture Toxicity Component Toxicity

Routes of Entry:

Inhalation Ingestion Skin contact Eye contact

Effects of Overexposure

Emergency Overview

Harmful if swallowed. May cause skin and eye irritation.

Acute Health Effects

May cause irritation to the eyes and surrounding areas. May cause skin irritation. Inhalation may cause irritation to the respiratory passages.

<u>CAS Number</u> <u>Description</u> <u>% Weight</u> <u>Carcinogen Rating</u>

Section 12: Ecological Information

Component Ecotoxicity

Triethanolamine 96 Hr LC50 Pimephales promelas: 10600 - 13000 mg/L [flow-through]; 96 Hr

LC50 Pimephales promelas: >1000 mg/L [static]; 96 Hr LC50 Lepomis

macrochirus: 450 - 1000 mg/L [static]

72 Hr EC50 Desmodesmus subspicatus: 216 mg/L; 96 Hr EC50 Desmodesmus

subspicatus: 169 mg/L

Section 13: Disposal Considerations

Dispose of in accordance with local, state and federal regulations.

Section 14: Transportation Informations

Refer to Bill of Lading or container label for DOT or other transportation hazard classification, if any .

Section 15: Regulatory Information

TSCA 8(b) Inventory

102-71-6 Triethanolamine

67762-90-7 Dimethyl silicone polymer with silica

<u>Country</u> <u>Regulation</u> <u>All Components Listed</u>

SDS for: 1.C003283.CS20Q.Std.3 Page 4 of 5

Date Prepared: 5/18/2015

Disclaimer

Reviewer Revision

The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.

SDS for: 1.C003283.CS20Q.Std.3

Printed: 5/18/2015 at 9:39:48AM