HAVILAND CONSUMER PRODUCTS, INC SAFETY DATA SHEET



Section 1: Identification

Product Name: Ultra Shock AC Product Code: C002535 Haviland Consumer Products, Inc. 421 Ann Street NW Grand Rapids, MI 49504

Emergency Phone CHEMTREC (800) 424-9300 CHEMTREC International (703) 527-3887

Product Use: NA

(616) 361-6691

Not recommended for: NA

Section 2: Hazard(s) Identification

GHS Ratings:

Oxidizing solid	2	Oxidizing solid class 2
Oral Toxicity	Acute Tox. 4	Oral>300+<=2000mg/kg
Skin corrosive	1A	Destruction of dermal tissue: Exposure < 3 min. Observation < 1 hour, visible necrosis in at least one animal
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5
Skin sensitizer	1	Skin sensitizer
Reproductive toxin	1B	Presumed, Based on experimental animals
Organ toxin single exposure	2	Presumed to be harmful to human health- Animal studies with significant toxic effects relevant to humans at generally moderate exposure (guidance) - Human evidence in exceptional cases
Aquatic toxicity	A1	Acute toxicity <= 1.00 mg/l

GHS Hazards		GHS Precautions	
H272	May intensify fire; oxidizer	P201	Obtain special instructions before use
H302	Harmful if swallowed	P202	Do not handle until all safety
H314	Causes severe skin burns and eye damage		precautions have been read and understood
H317	May cause an allergic skin reaction	P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking
H318	Causes serious eye damage	P220	Keep/Store away from clothing and
H360	May damage fertility or the		other combustible materials
H370	unborn child Causes damage to organs	P221	Take any precaution to avoid mixing with combustibles
H373	May cause damage to organs through prolonged or repeated	P260	Do not breathe dust/fume/gas/mist/vapors/spray
H400	xposure ery toxic to aquatic life	P261	Avoid breathing dust/fume/gas/mist/vapors/spray
		P264	Wash face, hands, and any exposed skin thoroughly after handling
		P270	Do not eat, drink or smoke when using this product
		P272	Contaminated work clothing should not be allowed out of the workplace

SDS for: 1.C002535.CS20P2.Std.4

1	
P273	Avoid release to the environment
P280	Wear protective gloves/protective
P281	clothing/eye protection/face protection
1 201	Use personal protective equipment as required
P310	Immediately call a POISON CENTER or
	doctor/physician
P314	Get Medical advice/attention if you feel
	unwell
P321	Specific treatment (see first aid
	treatment on SDS)
P330	Rinse mouth
P363	Wash contaminated clothing before
P391	reuse
P301+P312	Collect spillage
F301+F312	IF SWALLOWED: Call a POISON
	CENTER or doctor/physician if you feel unwell
P301+P330+P33	IF SWALLOWED: Rinse mouth. Do
1	NOT induce vomiting
P302+P352	IF ON SKIN: Wash with soap and water
P303+P361+P35	IF ON SKIN (or hair): Remove/Take off
3	immediately all contaminated clothing.
P304+P340	Rinse skin with water/shower
P304+P340	IF INHALED: Remove victim to fresh air
28.3	and keep at rest in a position comfortable for breathing
P305+P351+P33	IF IN EYES: Rinse cautiously with
8	water for several minutes. Remove
	contact lenses if present and easy to
	do - continue rinsing
P307+P311	IF exposed: Call a POISON CENTER or
	doctor/physician
P308+P313	IF exposed or concerned: Get medical
P333+P313	advice/attention
1 33311 313	If skin irritation or a rash occurs: Get medical advice/attention
P370+P378	In case of fire: Use suitable media for
	extinction
P405	Store locked up
P501	Dispose of contents/container in
	accordance with
	local/regional/national/international
	regulations

Danger



Section 3: Composition/Information on Ingredients			
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits

Calcium hypochlorite 7778-54-3 40 to 50%	-		
Boric acid, disodium salt, pentahydrate 12179-04-3 10 to 20%		6 mg/m3 STEL (inhalable fraction, listed under Borate compounds, inorganic) 2 mg/m3 TWA (inhalable fraction, listed under Borate compounds, inorganic)	NIOSH: 1 mg/m3 TWA
Trade Secret 5 to 10%	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	5 mg/m3 TWA	NIOSH: 5 mg/m3 TWA
Trade Secret 1 to 5%			
Trade Secret 1 to 5%			

Section 4: First-aid Measures

Inhalation

Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To prevent aspiration, keep head below knees.

Eye Contact

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

Skin Contact

Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash clothing separately and clean shoes before reuse.

Ingestion

If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Section 5: Fire-fighting Measures

LEL:

UEL:

Extinguishing Media

Use water only. Do not use dry chemicals, carbon dioxide, or foam. Specific Hazards Arising from the Chemical

Emits toxic fumes under fire conditions.

Product decomposes at approximately 338-356°F (170-180°C) releasing oxygen gas. Container may rupture.

Special Protective Equipment and Precautions for Firefighters

Special Information: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures

Spill and Leak Procedures

Wear adequate personal protective equipment. Extinguish or remove all ignition sources. Ventilate area. Do not touch spilled material. Prevent material from entering sewers or confined spaces. Shovel into clean, dry, labeled containers. Flush area with water. Contaminated materials may be dissolved in water, then treated with a reducing agent such as sodium sulphite. Care should be taken while handling contaminated materials, due to fire risk

SDS for: 1.C002535.CS20P2.Std.4

Section 7: Handling and Storage

Handling Procedures

Use with adequate ventilation. Avoid breathing dusts, mists, and vapors. Do not get in eyes, on skin, or on clothing. Wear eye protection and protective clothing. Wash thoroughly after handling.

Pesticide Storage: Keep in original container in a cool, dry, well-ventilated place. Keep container closed when not in use. Keep away from heat sources, sparks, open flames and lighted tobacco products. Use only a clean dry utensil made of metal or plastic each time product is taken from the container.

Section 8: Exposure Control/Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Calcium hypochlorite 7778-54-3			
Boric acid, disodium salt, pentahydrate 12179-04-3		6 mg/m3 STEL (inhalable fraction, listed under Borate compounds, inorganic) 2 mg/m3 TWA (inhalable fraction, listed under Borate compounds, inorganic)	NIOSH: 1 mg/m3 TWA
Trade Secret N/A	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	5 mg/m3 TWA	NIOSH: 5 mg/m3 TWA
Trade Secret N/A			
Trade Secret N/A			

RESPIRATORY PROTECTION: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.

SKIN PROTECTION: Wear impervious protective gloves. Wear protective gear as needed - apron, suit, boots.

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield.

OTHER PROTECTIVE EQUIPMENT: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

HYGENIC PRACTICES: Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors.

Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash hands before eating.

Section 9: Physical and Chemical Properties

Appearance: white granular	Odor: chlorine like odor
Vapor Pressure: Unknown	Odor threshold: Unknown
Vapor Density: Unknown	pH: 12.05 (1% solution)
Density: Unknown	Melting point: Unknown
Freezing point: Unknown	Solubility: Complete
Boiling range: Unknown	Flash point: Unknown
Evaporation rate: Unknown	Flammability: Unknown
Explosive Limits: Unknown	Specific Gravity Unknown

Autoignition temperature: Unknown

Viscosity: Unknown

Decomposition temperature: Unknown

Grams VOC less water: Unknown

Section 10: Stability and Reactivity

Chemical Stability:

STABLE

Incompatibile Materials

Acids. Reducing agents. Organics. Combustible materials. Petroleum products. Paint products. Wood and paper.

Conditions to Avoid

Contamination. Excessive heat and sources of ignition. Avoid conditions of moisture.

Hazardous Decomposition Products

Oxygen and chlorine gas.

Hazardous Polymerization

Hazardous polymerization will not occur.

Section 11: Toxicology Information

Mixture Toxicity

Oral Toxicity LD50: 1,456mg/kg

Component Toxicity

Health Effects

This product is severely irritating to the eyes and may cause burns and irreversible damage. Contact with the skin or mucous membranes may cause severe irritation, burns, and possible ulceration. This product will cause irritation or burns to the throat, esophagus, and gastrointestinal tract if it is swallowed. Ingestion of large amounts of this product may be fatal. Inhalation of dusts or mists of this product will cause irritation or burns to the nasal passages and respiratory tract and may cause ulceration of nasal membranes.

Routes of Entry:

Inhalation

Ingestion

Skin contact

Eye contact

Target Organs

Eyes

Skin

Respiratory System

Effects of Overexposure

Emergency Overview

Harmful if Inhaled. Causes severe burns to eyes and skin. May be fatal if swallowed.

CAS Number

Description

% Weight

Carcinogen Rating

Section 12: Ecological Information

Component Ecotoxicity

Calcium hypochlorite

96 Hr LC50 Lepomis macrochirus: 0.049 - 0.16 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 0.4 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 0.054 - 0.06 mg/L [semi-static]; 96 Hr LC50 Cyprinus carpio: 0.185 - 0.26 mg/L [semi-static]; 96 Hr LC50 Oncorhynchus mykiss: 0.055 - 0.1 mg/L [semi-static]; 96 Hr LC50 Oncorhynchus mykiss: 0.13 - 0.2 mg/L [static]; 96 Hr LC50 Pimephales promelas: 0.561 - 1.41 mg/L [static]

SDS for: 1.C002535.CS20P2.Std.4

Page 5 of 7

Trade Secret

96 Hr LC50 Brachydanio rerio: 210 mg/L [semi-static]; 96 Hr LC50 Brachydanio

rerio: 210 mg/L

Trade Secret

96 Hr LC50 Lepomis macrochirus: 10650 mg/L [static]

48 Hr LC50 Daphnia magna: 2400 mg/L

Section 13: Disposal Considerations

Pesticide Disposal: Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse (or equivalent) promptly after emptying

Section 14: Transportation Informations

Refer to Bill of Lading or container label for DOT or other transportation hazard classification, if any.

Section 15: Regulatory Information

EPA Reg. No. 57787-35

FIFRA information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

DANGER:

Corrosive.

Causes eye irreversible damage and skin burns.
Do not get in eyes, on skin or clothing.
May be fatal if swallowed.
Irritating to nose and throat.
This product is toxic to fish and aquatic organisms.

CERCLA/SARA Hazardous Substances

7778-54-3 Calcium hypochlorite

Country

Regulation

All Components Listed

Section 16: Other Information

Date Prepared: 7/7/2015

Disclaimer

The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper

safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained.

Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including

SDS for: 1.C002535.CS20P2.Std.4

Page 6 of 7

Printed: 7/7/2015 at 4:45:09PM

Reviewer Revision

the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.