_ _

Product Name: HYDROLON, BIKINI BLUE Product Code: 713

SECTION 1: IDENTIFICATION

 Product Name
 HYDROLON, BIKINI BLUE

 Product Code #
 713

 Identified Uses
 Protective Coating

 Manufacturer:
 Kelley Technical Coatings

 1445 South 15th Street
 P.O. Box 3726

 Louisville, Kentucky 40201-3726
 Emergency Contact Number:
 Day: 502-636-2561

 Information Telephone Number:
 502-636-2561
 Night: 800-424-9300

SECTION 2 : HAZARDS IDENTIFICATION

Acute Toxicity - Oral 4 Skin Irritant 2 Eye Damage/Irritation 2b

GHS Classification

GHS Label Elements

Hazard Symbols



Signal Word Warning

Hazard Statements

H302 Harmful if swallowed H315 Causes skin irritation H320 Causes eye irritation

Precautionary statements

Prevention

P202 Do not handle until all safety precautions have been read and understood.P264 Wash hands and/or face thoroughly after handling.P270 Do not eat, drink or smoke when using this product.

Response

P330 If swallowed,rinse mouth.
P363 Wash contaminated clothing and wash before reuse.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage/ Disposal

P501 Dispose of contents/container in accordance with federal, state, provincial, and local regulations.

Other Hazards OSHA Regulatory Status: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR1910.1200)

SECTION 3 : COMPOSITION INFORMATION

Product Name: HYDROLON, BIKINI BLUE Product Code: 713

_ _ _ _ _ _ _

Chemical Designation	CAS No.	% by Weight
titanium dioxide	13463-67-7	5 - 10%
ethylene glycol	107-21-1	1 - 5%
butoxy dipropanol	29911-28-2	1 - 5%
texanol	25265-77-4	1 - 5%

SECTION 4: FIRST AID MEASURES

Show this safety data sheet to the doctor in attendance
Flush with plenty of cool water for at least15 minutes, holding eyelids apart for thorough irrigation. If irritation persists, get immediate
medical attention.
Wash affected area thoroughly with soap and water. If skin irritation persists, get immediate medical attention.
Move to fresh air. Restore breathing. If breathing is difficult, get immediate medical attention.
Do not induce vomiting – seek immediate medical attention.
Treat symptomatically

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific Hazards arising	Closed containers may rupture if exposed to fire or extreme heat.
from the Chemical	
Special protective	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective
Equipment:	gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental	Use personal protective equipment. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from
Precautions	entering drains. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages
Methods for Clean-up	cannot be contained. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface
Other Information	thoroughly. None known

SECTION 7 : HANDLING & STORAGE

Handling:	Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Avoid breathing
	vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.
Storage:	Keep container tightly closed. Keep out of the reach of children.

SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

HMIS is a Health, Flammability and Reactivity rating: 2*11

HMIS CODE: 4 – SEVERE HAZARD, 3 – SERIOUS HAZARD, 2 – MODERATE HAZARD, 1 – SLIGHT HAZARD, 0 – MINIMAL HAZARD, * - Chronic Hazard

Note: The PPE rating has intentionally been left blank. Choose appropriate PPE that will protect employees from the hazards the material will present under the actual conditions of use.

Exposure Limits		
Hazardous Components	OSHA PEL	ACGIH TLV
titanium dioxide	15 mg/m3	10 mg/m3
ethylene glycol	50 ppm (C)	50 ppm (C)(STEL)
butoxy dipropanol	NE	NE
texanol	NE	NE

NE = None established NA = Not available (C) = Ceiling limit (I) = Inhalable fraction (IFV) = Inhalable fraction and vapor STEL = Short term exposure limit (R) = Respirable fraction

Product Name: HYDROLON, BIKINI BLUE Product Code: 713

_ _ _ _ _ _ _

Personal Protective Equipmen	t
Eyes/Face:	Safety goggles or full face shield
Skin:	Protective gloves and impervious clothing.
Respiratory Protection:	In case of insufficient ventilation, wear suitable respiratory equipment.
Hygiene Practices:	Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	liquid		
Odor:	Little or no odor	Odor threshold:	Not determined
VOC lb/gal	0.49	VOC (g/L)	59.18
VOC (lb/gal) less exempt	1.10	VOC (g/L) less exempt	132.00
Relative Density (LB/GAL):	11.08	Specific Gravity (g/L):	1.33
Flash Point (F):	Greater than 201		
Flammability:	Not applicable	Upper/lower flammability limits:	Not applicable
Auto-ignition temperature:	Not applicable	Decomposition temperature:	Not determined
Evaporation rate :	Not available		
Vapor Pressure (mmHg):	Not available	Vapor Density :	Not available
Initial Boiling Point (F):	212	Boiling Point Range (F):	Not available
Freezing Point (F):	32	Melting Point (F):	Not determined
pH	Not available	Viscosity	Not available
Solubility (ies):	Not determined		
Partition coefficient: n-	Not determined		
octanol/water			

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:Stable under normal conditions.Conditions to Avoid:Prevent from freezingMaterials to Avoid:No materials to be especially mentioned.Hazardous Decomposition Products:None under normal use.Possibility of Hazardous Reactions:None under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

<u>Acute Toxicity</u> Component	LD50 Oral mg/kg (Rat)	LD50 Dermal mg/kg (Rabbit)	LC50 Inhalation mg/L (Rat, 4 hr.)
titanium dioxide	10,000	10,000	6.82
ethylene glycol	NA	NA	NA
butoxy dipropanol	NA	NA	NA
texanol	6,517	>15,200	

Chronic Toxicity

The information below in	dicates whether each agency has listed any ingre	dient as a carcinogen:	
Component	IARC	NTP	OSHA
titanium dioxide	2B – Possible Human Carcinogen	Not listed	Listed

Per IARC Summary of Data Reported, Subsection 5.1: No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints.

SAFETY DATA SHEET

_ _ _ _ _ _ _ _ _ _ _ _

Product Name: HYDROLON, BIKINI BLUE Product Code: 713

_ _

SECTION 13 : DISPOSAL CONSIDERATION Waste Disposal Method			Dispose of in accordance with federal, state, provincial, and local regulations. Local requirements may vary, consult your sanitation department or state-designated environmental protection agency for more disposal options.		
SECTION 14	: TRANSPORT INFORMATIO	N			
REGULATIO	N	DESCRIPTI			
DOT		Not regulated			
	Proper Shipping Name				
	Hazard Class				
	UN-No				
ICAO / IATA	Packing Group	Not acculated			
		Not regulated			
IMDG/IMO		Not regulated			
SECTION 15	: REGULATORY INFORMAT	ION			
US TSCA:	Yes - All components	s are listed or exempt			
Federal Regul	ations				
	2 hazardous categorization				
	Acute Health Hazard	YES			
	Chronic Health Hazard	YES			
	Fire Hazard	NO			
	Sudden Release of Pressure	NO			
	Hazard	NO			
	Reactive Hazard	NO			
SARA 313					
	F Title III of the Superfund Amendm	nents and Reauthorization	Act of 1986 (SARA). If listed below, this product contains a		
chemical or ch	emicals which are subject to the rep	orting requirements of the	e Act and Title 40 of the Code of Federal Regulations, Part 372.		
Che	mical Designation	Cas No.	Weight %		
ethy	ene glycol	107-21-1	< 5%		
	, Section 112 Hazardous Air Pollu				
	mical Designation	Cas No.	Weight %		
	ene glycol	107-21-1	1 - 5%		
ethy					
ethy					

Any Target HAP listed in this section is not an OSHA Carcinogen unless listed as such in Section 11 under Chronic Toxicity.

State Regulations

California Proposition 65

This product may contain small amounts of materials known to the state of California to cause cancer or reproductive harm.

SECTION 16: OTHER INFORMATION

Date issued: 5/27/2015 VER 02

The above Information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith. No warranty is implied with respect to the quality or the specification of the product and the user must satisfy himself that the product is entirely suitable for his purposes.