

# SAFETY DATA SHEET

### 1. Identification

Product identifier	DPD Reagent #1	
Product code	R-0001	
Recommended use	Use as directed by manufacturer for purposes directly related to water testing.	
Recommended restrictions	None known	
Manufacturer/Importer/Supplier/D	istributor information	
Manufacturer		
Company name	Taylor Technologies, Inc.	
Address	31 Loveton Circle Sparks, MD 21152 United States	
Telephone	(410) 472-4340	Monday–Friday, 8:00 a.m.–4:30 p.m.
Website	www.taylortechnologies.com	
E-mail	Not available	
Emergency phone number	(800) 837-8548	

# 2. Hazard(s) identification

Physical hazards	This mixture does not meet the classification criteria according to OSHA HazCom 2012.	
Health hazards	Eye damage/irritation	Category 2A
	Skin corrosion/irritation	Category 2
Environmental hazards	Not currently regulated by OSHA. For additional information, refer to section 12 of the SDS.	
Label elements		

Signal word	Warning
Hazard statement	Causes serious eye irritation. Causes skin irritation.
Precautionary statement	
Prevention	Wash skin thoroughly after handling. Wear protective gloves/eye protection/face protection.
Response	IF ON SKIN: Wash with plenty of water.
	IF SKIN IRRITATION OCCURS: Get medical advice/attention.
	Take off all contaminated clothing and wash it before reuse.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
	IF EYE IRRITATION OCCURS: Get medical advice/attention
	If eye irritation persists: Get medical advice/attention.
Storage	None required
Disposal	None required
Hazard(s) not otherwise classified	None
Supplemental information	None

# 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Deionized water	Dihydrogen oxide	7732-18-5	80–90
Dipotassium phosphate	Dipotassium hydrogenphosphate; Potassium phosphate, dibasic	7758-11-4	5–10
Disodium phosphate	Disodium hydrogenorthophosphate; Sodium phosphate, dibasic	7558-79-4	5–10
Other components below reportable levels			0.01–0.1
I. First-aid measures			
nhalation	Move to fresh air. Give oxygen or artificial respiration if needed. Get medical attention immediately.		
skin contact	Immediately wash skin with soap and water. If symptoms persist or in all cases of concern, seek medical advice.		
ye contact	Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice.		
ngestion	Treat symptomatically. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If symptoms persist or in all cases of concern, seek medical advice.		
lost important ymptoms/effects, acute	Direct skin contact may cause slight or mild transient irritation. Symptoms may include redness and itching.		
nd delayed	Direct eye contact may cause slight or mild transient irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.		
	Inhalation of mists can cause respiratory irritation. Symptoms may include coughing and breathing difficulties.		
	Ingestion may cause gastrointestinal irritation,	nausea, vomiting, and diarrh	nea.
ndication of immediate nedical attention and special treatment needed	Provide general supportive measures and trea		
General information	Ensure medical personnel are aware of the ma themselves.	terial(s) involved and take p	recautions to protect
5. Firefighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbo	n dioxide .	
Insuitable extinguishing nedia	Do not use water jet as an extinguisher, as this	s will spread the fire.	
Specific hazards arising from he chemical	During fire, gases hazardous to health may be	formed.	
Special protective equipment Ind precautions for irefighters	Self-contained breathing apparatus and full pro	otective clothing must be wor	n in case of fire.
Firefighting equipment/instructions	Firefighters should wear full protective gear. E to avoid exposure to combustion products. Co water inside container. Move containers from f extinguishing water from contaminating surfac	ol containers/tanks with wate ire area if it can be done wit	er spray. Do not get thout risk. Prevent fire
pecific methods	Use standard firefighting procedures and consi	ider the hazards of other invo	olved materials.
General fire hazards	No unusual fire or explosion hazards noted		
lazardous combustion products	Carbon oxides. Phosphorous oxides. Other irri	tating fumes and smoke.	

## 6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water.
	Small Spills: Absorb spillage with noncombustible, absorbent material. Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for reuse. For waste disposal, refer to section 13 of the SDS. Contaminated absorbent material may pose the same hazards as the spilled product.
	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
Environmental precautions	Avoid discharge into drains, watercourses, or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in corrosive-resistant container with a corrosive-resistant inner liner. Store in original tightly closed container. Keep only in the original container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (refer to section 10 of the SDS).

### 8. Exposure controls/personal protection

• •	•	
Occupational exposure limits	No occupational exposure limits noted for the ingredient(s)	
Biological limit values	No biological exposure limits noted for the ingredient(s)	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield. Provide an emergency eyewash fountain and quick-drench shower in the immediate work area.	
Skin protection		
Hand protection	Wear appropriate chemical-resistant gloves. Advice should be sought from glove suppliers.	
Other	Wear appropriate chemical-resistant clothing.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to fumes at levels exceeding the exposure limits. Advice should be sought from respiratory protection suppliers.	
Thermal hazards	When necessary, wear appropriate thermal protective clothing.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contamination. Avoid breathing mist or vapor.	

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid
Form	Liquid
Color	Clear colorless or nearly colorless
Odor	Odorless
Odor threshold	Not available

Melting point/freezing pointNot availableInitial boiling point and boiling range212°F (100°C)Flash pointNot applicable (does not burn)
rangeFlash pointNot applicable (does not burn)
•
Evaporation rate Not available
Flammability (solid, gas) Not applicable
Upper/lower flammability or explosive limits
Flammability limit, Not applicable lower (%)
Flammability limit, Not applicable upper (%)
Explosive limit, Not applicable lower (%)
Explosive limit, Not applicable upper (%)
Vapor pressure 17 mm Hg
Vapor density 0.64
<b>Relative density</b> 1.24 g/cm <sup>3</sup>
Solubility(ies)
Solubility (water) Soluble in all proportions
Partition coefficient Not available (n-octanol/water)
Auto-ignition temperature Not applicable
Decomposition temperature Not available
Viscosity Not available
Other information
Explosive properties Not applicable
Oxidizing properties Not applicable
Percent volatile 84%
Specific gravity 1.24

# 10. Stability and reactivity

Reactivity	This product is stable and nonreactive under normal conditions of use, storage, and transport.	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use	
Conditions to avoid	Contact with incompatible materials. Do not use in areas without adequate ventilation.	
Incompatible materials	Metal compounds. Oxidizing agents. Strong acids.	
Hazardous decomposition products	None known. For hazardous combustion products, refer to section 5 of the SDS.	

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system
Skin contact	May cause slight or mild transient irritation
Eye contact	May cause severe irritation
Ingestion	May cause irritation, nausea, vomiting, and diarrhea
Most important symptoms/effects, acute and delayed	Direct skin contact may cause slight or mild transient irritation. Symptoms may include redness and itching.
	Direct eye contact may cause slight or mild transient irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

	Inhalation of mists can cause respiratory irritati breathing difficulties.	ion. Symptoms may include coughing and
	Ingestion may cause gastrointestinal irritation,	nausea, vomiting, and diarrhea.
Acute toxicity	This product is not classified as an acute toxicity hazard. See below for individual ingredient acute toxicity data.	
Components	Species	Test Results
Disodium phosphate (CAS 7558	3-79-4)	
Acute		
Dermal		
LD <sub>50</sub>	Rat	Not available
Inhalation		
LC <sub>50</sub>	Rat	Not available
Oral		
LD <sub>50</sub>	Rat	17000 mg/kg
Deionized water (CAS 7732-18-	5)	
Acute		
Dermal		
LD <sub>50</sub>	Rabbit	Not available
Inhalation		
LC <sub>50</sub>	Rat	Not available
Oral		
LD <sub>50</sub>	Rat	>89840 mg/kg
Skin corrosion/irritation	Causes skin irritation	
Serious eye damage/eye irritation	Causes severe eye irritation	
Respiratory sensitization	Not expected to be a respiratory sensitizer	
Skin sensitization	Not expected to be a skin sensitizer	
Germ cell mutagenicity	Not expected to be mutagenic	
Carcinogenicity	This product is not considered to be a carcinog	gen by IARC, NTP, OSHA, or U.S. ACGIH.
<b>OSHA Specifically Regulate</b>	ed Substances (29 CFR 1910.1001-1096)	
Not regulated		
Reproductive toxicity	This product is not expected to cause reproduc	ctive or developmental effects.
Specific target organ toxicity, single exposure	Not classified as a specific target organ toxicity	y – single exposure
Specific target organ toxicity, repeated exposure	Not classified as a specific target organ toxicity	/ – repeated exposure
Aspiration toxicity	Not expected to be an aspiration hazard	
Chronic effects	Frequent or prolonged contact may dry the ski	n, leading to discomfort and dermatitis.
12. Ecological information		
Ecotoxicity	possibility that large or frequent spills can have	y hazardous; however, this does not exclude the a harmful or damaging effect on the environment.
Components	Species	Test Results
Disodium phosphate (CAS 7558 Acute	- <i>rə-4)</i> — Aqualic	
Algae	Groop algae (Deemodeemus subarisatus)	>100 mg/L 72 hours
	Green algae (Desmodesmus subspicatus)	>100 mg/L, 72 hours
Crustacea	Water flog (Dentria marrie)	>100 mg/l 18 hours
	Water flea (Daphnia magna)	>100 mg/L, 48 hours

Rainbow trout (Oncorhynchus mykiss)

Fish

 $LC_{50}$ 

>100 mg/L, 96 hours

Chronic		
Algae		
NOEC	Green algae (Desmodesmus subspicatus) >100 mg/L, 72 hours	
Persistence and degradability	Not available	
Bioaccumulative potential	Not available	
Mobility in soil	High water solubility indicates a high mobility in soil.	
Other adverse effects	No other adverse environmental effects (e.g., ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

#### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion with the user, the producer, and the waste disposal company.
Waste from residues/unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (refer to Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste-handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transportation information

DOT

Not regulated as dangerous goods	
ΙΑΤΑ	
Not regulated as dangerous goods	
IMDG	
Not regulated as dangerous goods	
Transport in bulk according to Not	t av

Transport in bulk according to Not available Annex II of MARPOL 73/78 and the IBC Code

#### 15. Regulatory information

U.S. federal regulations

This product is a "Hazardous Chemical" as defined by OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory list.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

#### CERCLA Hazardous Substance (40 CFR 302.4)

Disodium phosphate (CAS 7558-79-4)

#### SARA 304 Emergency Release Notification

Not regulated

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

Not regulated

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate hazard – yes Delayed hazard – no Fire hazard – no Pressure hazard – no Reactivity hazard – no

#### SARA 302 Extremely Hazardous Substance

Not regulated

#### SARA 311/312 Hazardous Chemical

Listed

#### SARA 313 (TRI reporting)

Not regulated

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAP)

#### Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated

#### Safe Drinking Water Act (SDWA)

Not regulated

#### U.S. state regulations

# California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

# Not regulated

Massachusetts Right-to-Know Act

Disodium phosphate (CAS 7558-79-4) New Jersey Worker and Community Right-to-Know Act

Disodium phosphate (CAS 7558-79-4)

#### Pennsylvania Worker and Community Right-to-Know Act

Disodium phosphate (CAS 7558-79-4)

#### Rhode Island Right-to-Know Act

Disodium phosphate (CAS 7558-79-4)

#### **California Proposition 65**

# California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International inventories

Country(ies) or region	Inventory name	On inventory
		(yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	yes
Canada	Domestic Substances List (DSL)	yes
Canada	Non-Domestic Substances List (NDSL)	no
China	Inventory of Existing Chemical Substances Produced or Imported in China (IECSC)	yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	yes
Europe	European List of Notified Chemical Substances (ELINCS)	no
Japan	Existing and New Chemical Substances (ENCS)	yes
Korea	Existing Chemicals List (ECL)	yes
New Zealand	New Zealand Inventory of Chemicals (NZIoC)	yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA)	yes
*A "waa" indicates that all some	nexts of this product comply with the inventory requirements administered by the appendix	try (ico)

\*A "yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(ies).

A "no" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(ies).

#### 16. Other information, including date of preparation or last revision

List of abbreviations	
	ACGIH: American Conference of Governmental Industrial Hygienists
	AICS: Australian Inventory of Chemical Substances
	CAA: Clean Air Act
	CAS: Chemical Abstract Services
	CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
	CFR: Code of Federal Regulations
	CSA: Canadian Standards Association
	DEA: Drug Enforcement Agency
	DOT: Department of Transportation
	DSL: Domestic Substances List
	EC: effective concentration
	ECL: Existing Chemicals List
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	ENCS: Existing and New Chemical Substances
	EPA: Environmental Protection Agency

	HAP: hazardous air pollutants HMIS: Hazardous Materials Identification System HNOC: hazards not otherwise classified HPA: Hazardous Poducts Act HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer IATA: International Agency for Research on Cancer IATA: International Agency for Research on Cancer IATA: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk ICAC: International Civil Aviation Organization IECSC: Inventory of Existing Chemical Substances Produced or Imported in China IMDG: International Uniform Chemical Information Database LC: lethal concentration LD: lethal dose MARPOL: marine pollution MSHA: Mine Safety and Health Administration NDSL: Non-Domestic Substances List NFPA: National Institute of Occupational Safety and Health NOEC: no observable effect concentration NTP: National Institute of Occupational Safety and Health NOEC: no observable effect concentration NTP: National Inventory of Chemicals OECD: Organisation for Economic Co-operation and Development OEL: occupational Safety and Health Administration PEL: permissible exposure limits PICCS: Philippine Inventory of Chemicals and Chemical Substances PPE: personal protective equipment RCAR: Resource Conservation and Recovery Act RC: reportable quantity RTECS: Registry of Toxic Effects of Chemical Substances RTH: right to know SARA: Superfund Amendments and Reauthorization Act SDS: Safety Data Sheet SDWA: Safe Dinking Water Act STEL: short-term exposure limit TLV: threshold limit values SCA: Toxic Substances Control Act TWA: time-weighted average VOC: volatile organic compounds WEL: workplace exposure limit
Disclaimer	The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.
	License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be changed, or altered, in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.
Issue date	April 2015
Last revision	April 2015