

## **SAFETY DATA SHEET**

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

### SECTION 1: Identification

**Product identifier** 

Product name Chlorine Reagent #2
Product number R-0604: R-0604-PL

Recommended use and

restrictions

To be used in accordance with manufacturer instructions or under the direct guidance of the

manufacturer.

Manufacturer Taylor Technologies, Inc.

31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340

Emergency phone: (800) 837-8548

### SECTION 2: Hazard(s) identification

Physical hazardsCorrosive to metalsCategory 1Health hazardsCarcinogenicityCategory 1BEye damage/irritationCategory 1Skin corrosion/irritationCategory 1B

Specific target organ toxicity,

single exposure

No data available

Category 3 Respiratory tract irritation

**Environmental hazards** 

Label elements
Hazard pictograms



Signal word Danger

Hazard statements May cause cancer. May be corrosive to metals. Causes severe skin burns and eye damage. May

cause respiratory irritation.

Precautionary statements

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read and

understood. Do not breathe dusts or mists. Use only outdoors or in a well-ventilated area. Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection if contact is likely to occur. Keep only in original container.

Response Absorb spillage to prevent material damage. IF EXPOSED OR CONCERNED: Get medical

advice/attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a physician or poison control center. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately

call a physician or poison control center.

Storage Store in corrosive-resistant container with a corrosive-resistant inner liner. Keep tightly capped.

Store out of direct sunlight between 36°F–85°F. Store in a well ventilated place. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not otherwise

classified

No data available

SDS US

### SECTION 3: Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%
Water	Dihydrogen oxide	7732-18-5	90–99
Hydrochloric acid	Not available	7647-01-0	0.1–5
Orthotolidine	o-Tolidine dihydrochloride	612-82-8	0.1–5

### SECTION 4: First-aid measures

#### If inhaled

Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

#### In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops. Chemical burns must be treated by a physician.

### In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

### Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

### Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area, Call an ambulance. Continue flushing during transport to hospital. Keep person under observation. Symptoms may be delayed.

#### **General information**

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

## SECTION 5: Firefighting measures

### Extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing

media

Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### Specific hazards arising from the substance or mixture

Fire hazard Not flammable **Explosion hazard** Not explosive

Reactivity May be corrosive to metals Hazardous combustion Hydrogen chloride gas

products

### Advice for firefighters

Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Use water spray or fog for cooling exposed containers. Firefighting

equipment/instructions

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Refer to section 9 of the SDS for flammability properties. Other information

### SECTION 6: Accidental release measures

### Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation, Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

#### **Environmental precautions**

Avoid discharge into drains, watercourses, or onto the ground.

### Methods and material for containment and cleaning up

Ventilate the area. Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water. Dilute acid with water and neutralize with dilute base. If not recoverable, dilute with water or flush to holding area and neutralize. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

### Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

### SECTION 7: Handling and storage

#### Personal precautions, protective equipment, and emergency procedures

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pregnant or breastfeeding women must not handle this product. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

### Conditions for safe storage, including any incompatibilities

Store in corrosive-resistant container with a corrosive-resistant inner liner. Keep tightly capped. Store out of direct sunlight between 36°F-85°F. Store in a well ventilated place. Store locked up. Store away from incompatible materials (refer to section 10 of the SDS).

## SECTION 8: Exposure controls/personal protection

Occu	pational	exposure	limits
Occu	pational	exposure	IIIIIIII

#### **ACGIH Threshold Limit Values**

Components	Type	Value	Form
Hydrochloric acid (CAS 7647-01-0)	Ceiling	2 ppm	Not applicable
NIOSH: Pocket Guide to Chemical Hazards	_		
Components	Туре	Value	Form
Hydrochloric acid (CAS 7647-01-0)	Ceiling	7 mg/m <sup>3</sup> 5 ppm	Not applicable Not applicable
OSHA Table Z-1 Limits for Air Contaminants	(29 CFR 1910.1000)		
Components	Type	Value	Form
		_ , 3	

componente	i ypc	Tuluo	1 01111
Hydrochloric acid (CAS 7647-01-0)	Ceiling	7 mg/m <sup>3</sup> 5 ppm	Not applicable Not applicable

### **Biological limit values**

No biological exposure limits noted for the ingredient(s)

### **Exposure controls**

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product.

Personal protective equipment

Eye/face protection

Wear appropriate chemical safety goggles if contact is likely to occur.

Skin protection Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.

Body protection Wear appropriate protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the exposure

limits. Advice should be sought from respiratory protection suppliers.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Physical state Liquid Form Liquid

Color Clear to light yellow

Odor Odorless

Odor threshold No data available

0.01 рΗ

Evaporation rate No data available Melting point No data available Freezing point No data available Boiling point 212°F (100°C) Flash point No data available No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure 17 mm Hg

Relative vapor density 0.6

Solubility Soluble in all proportions

Partition coefficient (n-octanol/water)

No data available

Viscosity

No data available
Explosive properties

No data available
Oxidizing properties

No data available

### SECTION 10: Stability and reactivity

**Reactivity** May be corrosive to metals

Chemical stability Stable under recommended handling and storage conditions (refer to section 7 of the SDS)

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use

**Conditions to avoid**Contact with incompatible materials. Do not use in areas without adequate ventilation.

Incompatible materials Cesium carbide, metals sodium, and strong oxidizing materials

### SECTION 11: Toxicological information

### Information on toxicological

effects

Inhalation May cause irritation to the respiratory system

Skin contact Causes severe skin burns
Eye contact Causes serious eye damage
Ingestion Causes digestive tract burns

Most important

symptoms/effects, acute and

delayed

Direct skin contact may cause corrosive skin burns, deep ulcerations, and possibly permanent

scarring.

Direct contact with concentrated solutions may be corrosive to the eyes and may cause severe damage, including blindness. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision

Inhalation of mists can cause severe respiratory irritation. Symptoms may include coughing, choking, and wheezing. Inhalation could result in pulmonary edema (fluid accumulation). Symptoms of

pulmonary edema (chest pain, shortness of breath) may be delayed.

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding.

Acute toxicity This product is not classified as an acute toxicity hazard. See below for individual ingredient acute

toxicity data.

# Components Species Test Results Hydrochloric acid (CAS 7647-01-0)

### Acute

Dermal

 $LD_{50}$  Mouse 1449 mg/kg

Inhalation

LC<sub>50</sub> Mouse 1108 ppm, 1 hour LC<sub>50</sub> Rat 3124 ppm, 1 hour

Oral

 $LD_{50}$  Rabbit 900 mg/kg  $LD_{50}$  Rat 238–277 mg/kg

Orthotolidine (CAS 612-82-8)

Acute

Oral

 $LD_{50}$ Rat 404 mg/kg

Respiratory or skin

sensitization

No data available

Germ cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available

Specific target organ toxicity

May cause respiratory irritation

(single exposure)

Specific target organ toxicity No data available

(repeated exposure)

Aspiration hazard No data available

### SECTION 12: Ecological information

This product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### SECTION 13: Disposal considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

### SECTION 14: Transport information

DOT

**UN** number UN1789

UN proper shipping name Hydrochloric acid

Transport hazard class(es)

Class 8

Subsidiary risk Not listed

Label(s) 8 Packing group Ш

Special precautions for user Read safety instructions, SDS, and emergency procedures before handling.

A3, A6, B3, B15, IB2, N41, T8, TP2, TP12 Special provisions

Packaging exceptions 154 Packaging, non-bulk 202 Packaging, bulk 242

**IATA** 

UN number UN1789

UN proper shipping name Hydrochloric acid

Transport hazard class(es)

Class

Subsidiary risk Not listed

Packing group Ш

Environmental hazards Not listed ERG code

Special precautions for user

Other information

Read safety instructions, SDS, and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed

Cargo aircraft only Allowed

**IMDG** 

**UN** number UN1789

UN proper shipping name Hydrochloric acid

Transport hazard class(es)

Class

Subsidiary risk Not listed Packing group Ш

Environmental hazards

Not listed Marine pollutant F-A. S-B **EmS** 

Special precautions for user Read safety instructions, SDS, and emergency procedures before handling. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

DOT



IATA; IMDG



### SECTION 15: Regulatory information

### U.S. federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### **CERCLA Hazardous Substance (40 CFR 302.4)**

Hydrochloric acid (CAS 7647-01-0)

#### **SARA 302 Extremely Hazardous Substance**

Hydrochloric acid (CAS 7647-01-0)

#### **SARA 304 Emergency Release Notification**

Hydrochloric acid (CAS 7647-01-0)

### **SARA 313 (TRI Reporting)**

Orthotolidine (CAS 612-82-8)

### U.S. state regulations

### Massachusetts Right-to-Know Act

Hydrochloric acid (CAS 7647-01-0)

Orthotolidine (CAS 612-82-8)

### New Jersey Worker and Community Right-to-Know Act

Hydrochloric acid (CAS 7647-01-0)

Orthotolidine (CAS 612-82-8)

### Pennsylvania Worker and Community Right-to-Know Act

Hydrochloric acid (CAS 7647-01-0)

Orthotolidine (CAS 612-82-8)

### **Rhode Island Right-to-Know Act**

Hydrochloric acid (CAS 7647-01-0)

### SECTION 16: Other information

### **NFPA** Rating

Health hazard	3
Fire hazard	0
Reactivity	2
Specific	N/A

#### **Disclaimer**

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

### Issue date:

May 2015

### Last revisions

July 2016