

SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

CTION 1: Identificatio	n		
Product identifier			
Product name	Sulfuric Acid 50%		
Product number	R-0729		
Recommended use and restrictions	To be used in accordance with manufacturer instructions or under the direct guidance of the manufacturer.		
Manufacturer	Taylor Technologies, Inc. 31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340 Emergency phone: (800) 837-8	548	
CTION 2: Hazard(s) ic	lentification		
Physical hazards	Corrosive to metals	Category 1	
Health hazards	Acute toxicity, inhalation	Category 2	
	Eye damage/irritation	Category 1	
	Skin corrosion/irritation	Category 1B	
	Specific target organ toxicity, single exposure	Category 3 Respiratory tract irritation	
Environmental hazards	No data available		
Hazard pictograms		!	
Signal word	Danger		
Hazard statements	May be corrosive to metals. Causes severe skin burns and eye damage. Fatal if inhaled. May cause respiratory irritation.		
Precautionary statements			
Prevention	Keep only in original container. Do not breathe mist or vapors. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation use a NIOSH/MSHA approved respirator and seek advice from a respiratory protection specialist. Wear protective gloves/protective clothing/eye protection/face protection if contact is likely to occur.		
Response	Absorb spillage to prevent material damage. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a physician or poison control center. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a physician or poison control center.		
Storage		tainer with a corrosive-resistant inner liner. Keep tightly capped. veen 36°F–85°F. Store in a well-ventilated place. Store locked up.	
Disposal	Dispose of contents/container in	n accordance with local/regional/national/international regulations.	
Hazards not otherwise classified	No data available		

Mixture			
Chemical name	Common name and synonyms	CAS number	%
Sulfuric acid	Hydrogen sulfate	7664-93-9	60–70
Water	Dihydrogen oxide	7732-18-5	30–40

SECTION 4: First-aid measures

If inhaled

Remove individual to fresh air. Seek medical attention immediately. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops. Chemical burns must be treated by a physician.

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

If swallowed

Call a physician or poison control center immediately. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep person under observation. Symptoms may be delayed.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting measures

Extinguishing media

Use extinguishing media appropriate for surrounding fire.
Do not use a heavy water stream. Use of heavy stream of water may spread fire.
Not flammable
Not explosive
May be corrosive to metals
Sulfur oxides
Exercise caution when fighting any chemical fire; hazardous fumes will be present.
Use water spray or fog for cooling exposed containers.
Do not enter fire area without proper protective equipment, including respiratory protection.
Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water. Small Spills: Absorb spillage with noncombustible, absorbent material. Clean surface thoroughly to remove residual contamination. Never return spills to original containers for reuse. Dilute acid with water and neutralize with dilute base. If not recoverable, dilute with water or flush to holding area and neutralize. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and storage

Personal precautions, protective equipment, and emergency procedures

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Store in corrosive-resistant container with a corrosive-resistant inner liner. Keep tightly capped. Store out of direct sunlight between 36°F–85°F. Store in a well-ventilated place. Store locked up. Store away from incompatible materials (refer to section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

Occupational exposure limi	ts			
ACGIH Threshold Limit Valu	les			
Components		Туре	Value	Form
Sulfuric acid (CAS 7664-93	-9)	TWA	0.2 mg/m ³	Thoracic function
NIOSH: Pocket Guide to Ch	emical Hazards			
Components		Туре	Value	Form
Sulfuric acid (CAS 7664-93	-9)	TWA	1 mg/m ³	Not applicable
OSHA Table Z-1 Limits for A	Air Contaminants (2	29 CFR 1910.1000)		
Components		Туре	Value	Form
Sulfuric acid (CAS 7664-93 Biological limit values		PEL posure limits noted for th	1 mg/m ³ ne ingredient(s)	Not applicable
Exposure controls Appropriate engineering controls	be matched to co engineering cont limits have not be	onditions. If applicable, u rols to maintain airborne een established, mainta	use process enclosures, lo e levels below recommend	d be used. Ventilation rates should ocal exhaust ventilation, or other ded exposure limits. If exposure oceptable level. Eyewash facilities fuct.
Personal protective equipment				
Eye/face protection	Wear appropriate chemical safety goggles if contact is likely to occur.			
Skin protection	Wear appropriate	Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.		
Body protection	Wear appropriate	e protective clothing.		
Respiratory protection	In case of insuffic	cient ventilation, wear su	uitable respiratory equipm	ent. Use a NIOSH/MSHA

limits. Advice should be sought from respiratory protection suppliers.

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the exposure

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties	
Physical state	Liquid
Form	Liquid
Color	Clear, colorless
Odor	Odorless
Odor threshold	No data available
рН	No data available
Evaporation rate	No data available
Melting point	No data available

Freezing point	No data available		
Boiling point	212°F (100°C)		
Flash point	No data available		
Auto-ignition temperature	No data available		
Decomposition temperature	No data available		
Flammability (solid, gas)	No data available		
Vapor pressure	17 mm Hg		
Relative vapor density	0.6		
Solubility	Soluble in all proportions		
Partition coefficient (n-octanol/water)	No data available		
Viscosity	No data available		
Explosive properties	No data available		
Oxidizing properties	No data available		
CTION 10: Stability and r	reactivity		
Reactivity	May be corrosive to metals		
Chemical stability	Stable under recommended handling and storage conditions (refer to section 7 of the SDS)		
Possibility of hazardous reactions	No dangerous reaction known under condition	ons of normal use	
Conditions to avoid	Contact with incompatible materials. Do not use in areas without adequate ventilation.		
Incompatible materials	Metal compounds, nitromethane, oxidizing agents, sugars		
CTION 11: Toxicological	information		
Information on toxicological effects			
Inhalation	Fatal if inhaled. May cause irritation to the respiratory system.		
Skin contact	Causes severe skin burns		
Eye contact	Causes serious eye damage		
Ingestion	Causes digestive tract burns		
Most important symptoms/effects, acute and			
	Direct contact with concentrated solutions may be corrosive to the eyes and may cause severe damage, including blindness. Symptoms may include stinging, tearing, redness, swelling, and blurr vision.		
delayed	damage, including blindness. Symptoms may		
delayed	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat	y include stinging, tearing, redness, swelling, and blurr ory irritation. Symptoms may include coughing, chokin nonary edema (fluid accumulation). Symptoms of	
аегауео	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral	y include stinging, tearing, redness, swelling, and blurr ory irritation. Symptoms may include coughing, chokin nonary edema (fluid accumulation). Symptoms of	
Acute toxicity	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral digestive tract. Symptoms may include abdor	y include stinging, tearing, redness, swelling, and blurr cory irritation. Symptoms may include coughing, chokin nonary edema (fluid accumulation). Symptoms of preath) may be delayed. cavity, upper airway, esophagus, and possibly the	
	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral digestive tract. Symptoms may include abdor Fatal if inhaled. See below for acute toxicity e	y include stinging, tearing, redness, swelling, and blurr cory irritation. Symptoms may include coughing, chokin nonary edema (fluid accumulation). Symptoms of preath) may be delayed. cavity, upper airway, esophagus, and possibly the minal pain, vomiting, burns, perforations, bleeding.	
Acute toxicity	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral digestive tract. Symptoms may include abdor Fatal if inhaled. See below for acute toxicity e data. Species	y include stinging, tearing, redness, swelling, and blurr cory irritation. Symptoms may include coughing, chokir nonary edema (fluid accumulation). Symptoms of breath) may be delayed. cavity, upper airway, esophagus, and possibly the minal pain, vomiting, burns, perforations, bleeding. estimate (ATE) and individual ingredient acute toxicity	
Acute toxicity Mixture	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral digestive tract. Symptoms may include abdor Fatal if inhaled. See below for acute toxicity e data. Species	y include stinging, tearing, redness, swelling, and blurr cory irritation. Symptoms may include coughing, chokir nonary edema (fluid accumulation). Symptoms of breath) may be delayed. cavity, upper airway, esophagus, and possibly the minal pain, vomiting, burns, perforations, bleeding. estimate (ATE) and individual ingredient acute toxicity	
Acute toxicity <u>Mixture</u> Sulfuric Acid 50% (CAS Mixture	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral digestive tract. Symptoms may include abdor Fatal if inhaled. See below for acute toxicity e data. Species	y include stinging, tearing, redness, swelling, and blurr cory irritation. Symptoms may include coughing, chokir nonary edema (fluid accumulation). Symptoms of breath) may be delayed. cavity, upper airway, esophagus, and possibly the minal pain, vomiting, burns, perforations, bleeding. estimate (ATE) and individual ingredient acute toxicity	
Acute toxicity <u>Mixture</u> Sulfuric Acid 50% (CAS Mixture Acute	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral digestive tract. Symptoms may include abdor Fatal if inhaled. See below for acute toxicity e data. Species	y include stinging, tearing, redness, swelling, and blurr cory irritation. Symptoms may include coughing, chokir nonary edema (fluid accumulation). Symptoms of breath) may be delayed. cavity, upper airway, esophagus, and possibly the minal pain, vomiting, burns, perforations, bleeding. estimate (ATE) and individual ingredient acute toxicity	
Acute toxicity <u>Mixture</u> Sulfuric Acid 50% (CAS Mixture Acute Inhalation	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral digestive tract. Symptoms may include abdor Fatal if inhaled. See below for acute toxicity e data. Species	y include stinging, tearing, redness, swelling, and blurr cory irritation. Symptoms may include coughing, chokin nonary edema (fluid accumulation). Symptoms of breath) may be delayed. cavity, upper airway, esophagus, and possibly the minal pain, vomiting, burns, perforations, bleeding. estimate (ATE) and individual ingredient acute toxicity Test Results	
Acute toxicity <u>Mixture</u> Sulfuric Acid 50% (CAS Mixture Acute Inhalation LC ₅₀	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral digestive tract. Symptoms may include abdor Fatal if inhaled. See below for acute toxicity e data. Species	y include stinging, tearing, redness, swelling, and blurr fory irritation. Symptoms may include coughing, chokin honary edema (fluid accumulation). Symptoms of breath) may be delayed. cavity, upper airway, esophagus, and possibly the minal pain, vomiting, burns, perforations, bleeding. estimate (ATE) and individual ingredient acute toxicity Test Results 0.41 mg/L, 4 hours (mist)	
Acute toxicity <u>Mixture</u> Sulfuric Acid 50% (CAS Mixture Acute Inhalation LC ₅₀ <u>Components</u>	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral digestive tract. Symptoms may include abdor Fatal if inhaled. See below for acute toxicity e data. Species	y include stinging, tearing, redness, swelling, and blur tory irritation. Symptoms may include coughing, chokin bonary edema (fluid accumulation). Symptoms of breath) may be delayed. cavity, upper airway, esophagus, and possibly the minal pain, vomiting, burns, perforations, bleeding. estimate (ATE) and individual ingredient acute toxicity Test Results 0.41 mg/L, 4 hours (mist)	
Acute toxicity <u>Mixture</u> Sulfuric Acid 50% (CAS Mixture Acute Inhalation LC ₅₀ <u>Components</u> Sulfuric acid (CAS 7664-93-9)	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral digestive tract. Symptoms may include abdor Fatal if inhaled. See below for acute toxicity e data. Species	y include stinging, tearing, redness, swelling, and blur tory irritation. Symptoms may include coughing, chokin bonary edema (fluid accumulation). Symptoms of breath) may be delayed. cavity, upper airway, esophagus, and possibly the minal pain, vomiting, burns, perforations, bleeding. estimate (ATE) and individual ingredient acute toxicity Test Results 0.41 mg/L, 4 hours (mist)	
Acute toxicity <u>Mixture</u> Sulfuric Acid 50% (CAS Mixture Acute Inhalation LC ₅₀ <u>Components</u> Sulfuric acid (CAS 7664-93-9) Acute Dermal	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral digestive tract. Symptoms may include abdor Fatal if inhaled. See below for acute toxicity e data. Species	y include stinging, tearing, redness, swelling, and blur bory irritation. Symptoms may include coughing, chokin bonary edema (fluid accumulation). Symptoms of breath) may be delayed. cavity, upper airway, esophagus, and possibly the minal pain, vomiting, burns, perforations, bleeding. estimate (ATE) and individual ingredient acute toxicity Test Results 0.41 mg/L, 4 hours (mist) Test Results	
Acute toxicity <u>Mixture</u> Sulfuric Acid 50% (CAS Mixture Acute Inhalation LC ₅₀ <u>Components</u> Sulfuric acid (CAS 7664-93-9) Acute	damage, including blindness. Symptoms may vision. Inhalation of mists can cause severe respirat and wheezing. Inhalation could result in pulm pulmonary edema (chest pain, shortness of b Ingestion may produce burns to the lips, oral digestive tract. Symptoms may include abdor Fatal if inhaled. See below for acute toxicity e data. Species Rat Species	y include stinging, tearing, redness, swelling, and blurr fory irritation. Symptoms may include coughing, chokin honary edema (fluid accumulation). Symptoms of breath) may be delayed. cavity, upper airway, esophagus, and possibly the minal pain, vomiting, burns, perforations, bleeding. estimate (ATE) and individual ingredient acute toxicity Test Results 0.41 mg/L, 4 hours (mist)	

Respiratory or skin sensitization	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
Specific target organ toxicity (single exposure)	May cause respiratory irritation
Specific target organ toxicity (repeated exposure)	No data available
Aspiration hazard	No data available
CTION 40. Enclosion inf	

SECTION 12: Ecological information

This product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13: Disposal considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

DOT	
UN number	UN1830
UN proper shipping name	Sulphuric acid
Transport hazard class(es)	
Class	8
Subsidiary risk	Not listed
Label(s)	8
Packing group	II
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Special provisions	A3, A7, B15, IB2, N6, N34, T8, TP2, TP12
Packaging exceptions	154
Packaging, non-bulk	202
Packaging, bulk	242
IATA	
UN number	UN1830
UN proper shipping name	Sulphuric acid
Transport hazard class(es)	
Class	8
Subsidiary risk	Not listed
Packing group	
Environmental hazards	Not listed
ERG code	8L
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Other information	······································
Passenger and cargo	Allowed
aircraft	
Cargo aircraft only	Allowed
IMDG	
UN number	UN1830
UN proper shipping name	Sulphuric acid
Transport hazard class(es)	
Class	8
Subsidiary risk	Not listed
Packing group	
Environmental hazards	
Marine pollutant	Not listed
EmS	F-A. S-B
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according	
to Annex II of MARPOL 73/78	This substance/mixture is not intended to be transported in bulk.
and the IBC Code	

DOT

IATA; IMDG



SECTION 15: Regulatory information

U.S. federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance (40 CFR 302.4) Sulfuric acid (CAS 7664-93-9)

SARA 302 Extremely Hazardous Substance Sulfuric acid (CAS 7664-93-9)

SARA 304 Emergency Release Notification Sulfuric acid (CAS 7664-93-9)

SARA 313 (TRI Reporting) Sulfuric acid (CAS 7664-93-9)

U.S. state regulations

Massachusetts Right-to-Know Act Sulfuric acid (CAS 7664-93-9)

New Jersey Worker and Community Right-to-Know Act Sulfuric acid (CAS 7664-93-9)

Pennsylvania Worker and Community Right-to-Know Act Sulfuric acid (CAS 7664-93-9)

Rhode Island Right-to-Know Act Sulfuric acid (CAS 7664-93-9)

SECTION 16: Other information

NFPA Rating	
Health hazard	3
Fire hazard	0
Reactivity	2
Specific	N/A

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date: May 2015

Last revisions July 2016