

SAFETY DATA SHEET

1.	Identification	

Product identifier	Copper Reagent #1	
Product code	R-0860	
Recommended use	Use as directed by manufacture	er for purposes directly related to water testing.
Recommended restrictions	None known	
Manufacturer/Importer/Supplier/D	istributor information	
Manufacturer		
Company name	Taylor Technologies, Inc.	
Address	31 Loveton Circle Sparks, MD 21152 United States	
Telephone	(410) 472-4340	Monday–Friday, 8:00 a.m.–4:30 p.m.
Website	www.taylortechnologies.com	
E-mail	Not available	
Emergency phone number	(800) 837-8548	

2. Hazard(s) identification

Physical hazards	Corrosive to metals	Category 1
Health hazards	Eye damage/irritation	Category 1
	Skin corrosion/irritation	Category 1C
	Specific target organ toxicity, single exposure	Category 3 Respiratory tract irritation
Environmental hazards	Not currently regulated by OSHA; refer to secti	on 12 of the SDS for additional information.
Label elements	\wedge	



Signal word	Danger
Hazard statement	May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary statement	
Prevention	Keep only in original container. Do not breathe mist or vapor. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Response	Absorb spillage to prevent material damage.
	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water.
	Wash contaminated clothing before reuse.
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
	Immediately call a physician or poison control center.
Storage	Store locked up. Store in a corrosive-resistant container with a corrosive resistant liner.

Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified	d May cause pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract.
Supplemental information	None

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Deionized water	Dihydrogen oxide	7732-18-5	65–75
Ammonium hydroxide	Ammonium water	1336-21-6	20–25
Citric acid	Citric acid monohydrate	5949-29-1	5–10

4. First-aid measures

Inhalation	Move to fresh air. Give oxygen or artificial respiration if needed. Get medical attention immediately.	
Skin contact	Immediately flush skin with running water for at least 20 minutes. Immediately take off all contaminated clothing. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.	
Eye contact	Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.	
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.	
Most important symptoms/effects, acute and delayed	Direct skin contact may cause corrosive skin burns, deep ulcerations, and possibly permanent scarring. Direct contact with concentrated solutions may be corrosive to the eyes and may cause severe damage, including blindness. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.	
	Inhalation of mists can cause severe respiratory irritation. Symptoms may include coughing, choking, and wheezing. Inhalation could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.	
	Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding.	
Indication of immediate	Provide general supportive measures and treat symptomatically.	
medical attention and special treatment needed	Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep person under observation. Symptoms may be delayed.	
General information	Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.	
5. Firefighting measures		
Suitable extinguishing media	Carbon dioxide. Dry chemical powder. Foam. Water fog. Water spray.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Firefighting equipment/instructions	Firefighters should wear full protective gear. Evacuate the area promptly. Fight fire from upwind to avoid exposure to combustion products. Cool containers/tanks with water spray. Do not get water inside container. Move containers from fire area if it can be done without risk. Prevent fire-extinguishing water from contaminating surface water or the ground water system.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	

General fire hazards	No unusual fire or explosion hazards noted		
Hazardous combustion products	Ammonia. Chlorine. Nitrogen oxides. Other irritating fumes and smoke.		
6. Accidental release meas	sures		
Personal precautions, protective equipment, and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.		
Methods and materials for	This product is miscible in water.		
containment and cleaning up	Large Spills: Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water.		
	Small Spills: Absorb spillage with noncombustible, absorbent material. Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for reuse. For waste disposal, refer to section 13 of the SDS. Contaminated absorbent material may pose the same hazards as the spilled product.		
	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.		
Environmental precautions	Avoid discharge into drains, watercourses, or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from metals and other incompatibles. Observe good industrial hygiene practices. Label containers appropriately.		
Conditions for safe storage, including any incompatibilities	Store locked up. Store in corrosive-resistant container with a corrosive-resistant inner liner. Keep only in the original container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (refer to section 10 of the SDS).		

8. Exposure controls/personal protection

Occupational exposure limits

Components		Туре	Value	Form
Ammonium hydroxide (CAS 1336-21-6)		TWA STEL	35 mg/m ³ 27 mg/m ³	Ammonia Ammonia
Biological limit values	No biolog	No biological exposure limits noted for the ingredient(s)		
Appropriate engineering controls	should be or other e exposure	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product.		
Individual protection measure such as personal protective equipment	s,			
Eye/face protection		Wear safety glasses with side shields (or goggles) and a face shield. Provide an emergency eyewash fountain and quick-drench shower in the immediate work area.		
Skin protection				
Hand protection	Wear app	ropriate chemical-resist	ant gloves. Advice should be so	ught from glove suppliers.
Other	Wear app	ropriate chemical-resist	ant clothing.	
Respiratory protection	approved	respirator if there is a r	wear suitable respiratory equipm isk of exposure to dust/fumes at om respiratory protection supplie	levels exceeding the exposure
Thermal hazards	Whon nor	occony woor oppropria	te thermal protective clothing.	

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contamination.

9. Physical and chemical properties

o. i nysicai ana chemicai p	noperties
Appearance	
Physical state	Liquid
Form	Liquid
Color	Clear, colorless
Odor	Ammonical
Odor threshold	Not available
рН	9.5
Melting point/freezing point	Not available
Initial boiling point and boiling range	212°F (100°C)
Flash point	Not applicable (does not burn)
Evaporation rate	Not available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits	
Flammability limit, lower (%)	16% as NH₃
Flammability limit, upper (%)	27% as NH_3
Explosive limit, lower (%)	Not applicable
Explosive limit, upper (%)	Not applicable
Vapor pressure	17 mm Hg
Vapor density	0.6
Relative density	1.00 g/cm ³
Solubility(ies)	
Solubility (water)	Soluble in all proportions
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Viscosity	Not available
Other information	
Explosive properties	Not applicable
Oxidizing properties	Not applicable
Percent volatile	96%
Specific gravity	1.00

10. Stability and reactivity

Reactivity	This product is stable and nonreactive under normal conditions of use, storage, transport.	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use	
Conditions to avoid	Extreme heat, temperatures. Contact with incompatible materials. Direct sunlight. Do not use in areas without adequate ventilation.	
Incompatible materials	Halogens. Metal compounds. Strong acids.	

Hazardous decomposition products

11. Toxicological information

Information on likely routes of ex	kposure		
Inhalation	May cause respiratory irritation		
Skin contact	Causes severe skin burns and eye damage		
Eye contact	Causes serious eye damage		
Ingestion	Causes digestive tract burns		
Most important symptoms/effects, acute and delayed	Direct skin contact may cause corrosive skin burns, deep ulcerations, and possibly permanent scarring. Direct contact with concentrated solutions may be corrosive to the eyes and may cause severe damage, including blindness. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.		
	Inhalation of mists can cause severe respirator choking, and wheezing. Inhalation could result Symptoms of pulmonary edema (chest pain, st	in pulmonary edema (fluid accumulation).	
		avity, upper airway, esophagus, and possibly the nain, vomiting, burns, perforations, bleeding.	
Acute toxicity	This product is not classified as an acute toxici acute toxicity data.	ty hazard. See below for individual ingredient	
Components	Species	Test Results	
Ammonium hydroxide (CAS 1336	-21-6)		
Acute			
Dermal		N (11)	
LD ₅₀	Rabbit	Not available	
Inhalation LC₅₀	Rat	Not available	
Oral	Tat	Not available	
	Rat	350 mg/kg	
Deionized water (CAS 7732-18-5			
Acute	,		
Dermal			
LD ₅₀	Rabbit	Not available	
Inhalation			
LC ₅₀	Rat	Not available	
Oral			
LD ₅₀	Rat	>89840 mg/kg	
Skin corrosion/irritation	Causes severe skin burns and eye damage		
Serious eye damage/eye irritation	Causes serious eye damage		
Respiratory sensitization	Not expected to be a respiratory sensitizer		
Skin sensitization Not expected to be a skin sensitizer			
Germ cell mutagenicity	Not expected to be mutagenic		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, NTP, OSHA, or U.S. ACGIH.		
	d Substances (29 CFR 1910.1001-1096)		
Not regulated			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity, single exposure	May cause respiratory irritation		
Specific target organ toxicity, repeated exposure	Not classified as a specific target organ toxicity	 repeated exposure 	
Aspiration toxicity	on toxicity Not expected to be an aspiration hazard		
Chronic effects	Frequent or prolonged contact may defat and o	dry the skin, leading to discomfort and dermatitis.	

12. Ecological information

Ecotoxicity	This product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	Not available
Bioaccumulative potential	Not available
Mobility in soil	Not available
Other adverse effects	No other adverse environmental effects (e.g., ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose of in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose of in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion with the user, the producer, and the waste disposal company.
Waste from residues/unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (refer to Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste-handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transportation information

DOT	
UN number	UN2672
UN proper shipping name	Ammonia solution
Transport hazard class(es)	
Class	8
Subsidiary risk	Not listed
Label(s)	8
Packing group	
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Special provisions	IB3, IP8, T7, TP1
Packaging exceptions	154
Packaging, non-bulk	203
Packaging, bulk	241
ΙΑΤΑ	
UN number	UN2672
UN proper shipping name	Ammonia solution
Transport hazard class(es)	
Class	8
Subsidiary risk	Not listed
Packing group	
Environmental hazards	
Marine pollutant	Yes
Special provisions	A64, A803
ERG code	8L
Special precautions for user Other information	Read safety instructions, SDS, and emergency procedures before handling.
Passenger and cargo	852
aircraft	
Cargo aircraft only	856
IMDG	
UN number	UN2672
UN proper shipping name	Ammonia solution
Transport hazard class(es)	
Class	8
Subsidiary risk	Not listed
Packing group	
Environmental hazards	No.
Marine pollutant	Yes
EmS Special processitions for your	F-A,S-B
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.

This substance/mixture is not intended to be transported in bulk.



IATA; IMDG

15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA	Hazard Communication
Standard, 29 CFR 1910.1200.	

All components are on the U.S. EPA TSCA Inventory list.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not	regu	lated
-----	------	-------

U.S. federal regulations

CERCLA Hazardous Substance (40 CFR 302.4)

Ammonia (CAS 7664-41-7)

SARA 304 Emergency Release Notification

Not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

Not regulated

Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories

Immediate hazard - yes Delayed hazard - yes Fire hazard - no Pressure hazard - no Reactivity hazard - yes

SARA 302 Extremely Hazardous Substance

Not regulated

SARA 311/312 Hazardous Chemical

Not regulated

SARA 313 (TRI reporting)

Chemical name	CAS number	% by weight
Ammonia	7664-41-7	20–25

Ammonia

20-25

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs)

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Ammonia (CAS 7664-41-7)

Safe Drinking Water Act (SDWA)

Not regulated

U.S. state regulations

California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not regulated

Massachusetts Right-to-Know Act

Ammonia (CAS 7664-41-7)

New Jersey Worker and Community Right-to-Know Act

Ammonia (CAS 7664-41-7)

Pennsylvania Worker and Community Right-to-Know Act

Ammonia (CAS 7664-41-7)

Rhode Island Right-to-Know Act

Ammonia (CAS 7664-41-7)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International inventories

Country(ies) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	yes
Canada	Domestic Substances List (DSL)	yes
Canada	Non-Domestic Substances List (NDSL)	no
China	Inventory of Existing Chemical Substances Produced or Imported in China (IECSC)	yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	yes
Europe	European List of Notified Chemical Substances (ELINCS)	no
Japan	Existing and New Chemical Substances (ENCS)	yes
Korea	Existing Chemicals List (ECL)	yes
New Zealand	New Zealand Inventory of Chemicals (NZIoC)	yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA)	yes
*A "vos" indicatos that all compo	nents of this product comply with the inventory requirements administered by the governing cou	ntru(ioc)

*A "yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(ies).

A "no" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(ies).

16. Other information, including date of preparation or last revision

CSA: Canadian Standards Association DEA: Drug Enforcement Agency DOT: Department of Transportation DSL: Domestic Substances List EC: effective concentration ECL: Existing Chemicals List EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances ENCS: Existing and New Chemical Substances EPA: Environmental Protection Agency HAP: hazardous air pollutants HMIS: Hazardous Materials Identification System HNOC: hazards not otherwise classified HPA: Hazardous Products Act HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer IATA: International Air Transport Association	List of abbreviations	DEA: Drug Enforcement Agency DOT: Department of Transportation DSL: Domestic Substances List EC: effective concentration ECL: Existing Chemicals List EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances ENCS: Existing and New Chemical Substances EPA: Environmental Protection Agency HAP: hazardous air pollutants HMIS: Hazardous Materials Identification System HNOC: hazards not otherwise classified HPA: Hazardous Products Act HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer
---	-----------------------	---

	IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk ICAO: International Civil Aviation Organization IECSC: Inventory of Existing Chemical Substances Produced or Imported in China IMDG: International Maritime Dangerous Goods IUCLID: International Uniform Chemical Information Database LC: lethal concentration LD: lethal dose MARPOL: marine pollution MSHA: Mine Safety and Health Administration NDSL: Non-Domestic Substances List NFPA: National Isritute of Occupational Safety and Health NOEC: no observable effect concentration NTP: National Institute of Occupational Safety and Health NOEC: no observable effect concentration NTP: National Institute of Occupational Safety and Health NOEC: no observable effect concentration NTP: National Institute of Cocupation and Development OEL: occupational Safety and Health Administration PEL: permissible exposure limits OSHA: Occupational Safety and Health Administration PEL: permissible exposure limits OSHA: Occupational Safety and Health Administration PEL: permissible exposure limits OSHA: Occupational Safety and Recovery Act RC: resource Conservation and Recovery Act RC: resource Conservation and Recovery Act RC: reportable quantity RTECS: Registry of Toxic Effects of Chemical Substances PPE: personal protective equipment RCRA: Resource Conservation and Reauthorization Act SS: Safety Data Sheet SDWA: Safe Drinking Water Act STEL: short-term exposure limit LV: threshold limit values TSCA: Toxic Substances Control Act TWA: time-weighted average VOC: volatile organic compounds WEL: workplace exposure limit
Disclaimer	The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.
	License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be changed, or altered, in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.
Issue date	May 2015
Last revision	May 2015