

# SAFETY DATA SHEET

### 1. Identification

Product identifier	Alkalinity Standard 100 ppm	
Product code	R-7064	
Recommended use	Use as directed by manufactur	er for purposes directly related to water testing.
Recommended restrictions	None known	
Manufacturer/Importer/Supplier/D	istributor information	
Manufacturer		
Company name	Taylor Technologies, Inc.	
Address	31 Loveton Circle Sparks, MD 21152	
	United States	
Telephone	(410) 472-4340	Monday–Friday, 8:00 a.m.–4:30 p.m.
Website	www.taylortechnologies.com	
E-mail	Not available	
Emergency phone number	(800) 837-8548	

# 2. Hazard(s) identification

Physical hazards	This mixture does not meet the class	This mixture does not meet the classification criteria according to OSHA HazCom 2012.	
Health hazards	Eye damage/irritation	Eye damage/irritation Category 2A	
Health hazards	This mixture does not meet the class	This mixture does not meet the classification criteria according to OSHA HazCom 2012.	
Environmental hazards	Not currently regulated by OSHA. F	Not currently regulated by OSHA. For additional information, refer to section 12 of the SDS.	
Label elements			



Signal word	Warning
Hazard statement	Causes serious eye irritation
Precautionary statement	
Prevention	Wash skin thoroughly after handling. Wear protective gloves/eye protection/face protection.
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
	If eye irritation persists: Get medical advice/attention.
Storage	None required
Disposal	None required
Hazard(s) not otherwise classified	None
Supplemental information	None

# 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Deionized water	Dihydrogen oxide	7732-18-5	99
Sodium carbonate	Soda ash; Bisodium carbonate	497-19-8	0.01–0.1

4. First-aid measures	
Inhalation	Move to fresh air. Give oxygen or artificial respiration if needed. Get medical attention immediately.
Skin contact	Immediately wash skin with soap and water. If symptoms persist or in all cases of concern, seek medical advice.
Eye contact	Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice.
Ingestion	Treat symptomatically. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If symptoms persist or in all cases of concern, seek medical advice.
Most important symptoms/effects, acute	Direct skin contact may cause slight or mild transient irritation. Symptoms may include redness and itching.
and delayed	Direct eye contact may cause slight or mild transient irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
	Inhalation of mists can cause respiratory irritation. Symptoms may include coughing and breathing difficulties.
	Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. Firefighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Firefighting equipment/instructions	Firefighters should wear full protective gear. Evacuate the area promptly. Fight fire from upwind to avoid exposure to combustion products. Cool containers/tanks with water spray. Do not get water inside container. Move containers from fire area if it can be done without risk. Prevent fire-extinguishing water from contaminating surface water or the ground water system.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted
Hazardous combustion products	Carbon oxides. Sodium oxides. Other irritating fumes and smoke.
6. Accidental release meas	sures
Personal precautions, protective equipment, and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water.
	Small Spills: Absorb spillage with noncombustible, absorbent material. Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for reuse. For waste disposal, refer to section 13 of the SDS. Contaminated absorbent material may pose the same hazards as the spilled product.
	In the event of a spill or accidental release, notify relevant authorities in accordance with all

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**Environmental precautions** Avoid discharge into drains, watercourses, or onto the ground.

7. Handling and storage	
Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in corrosive-resistant container with a corrosive-resistant inner liner. Store in original tightly closed container. Keep only in the original container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (refer to section 10 of the SDS).
8. Exposure controls/perso	onal protection
Occupational exposure limits	No occupational exposure limits noted for the ingredient(s)
Biological limit values	No biological exposure limits noted for the ingredient(s)
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield. Provide an emergency eyewash fountain and quick-drench shower in the immediate work area.
Skin protection	
Hand protection	Wear appropriate chemical-resistant gloves. Advice should be sought from glove suppliers.
Other	Wear appropriate chemical-resistant clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to fumes at levels exceeding the exposure limits. Advice should be sought from respiratory protection suppliers.
Thermal hazards	When necessary, wear appropriate thermal protective clothing.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contamination.

# 9. Physical and chemical properties

AppearancePhysical stateLiquidFormLiquidColorClear colorless or nearly colorlessOdorOdorlessOdor thresholdNot availablepHNot availableMelting point/freezing pointNot availableInitial boiling point and boiling range212°F (100°C)Flash pointNot available (does not burn)Evaporation rateNot availableVpper/lower flammability or explosive limitsNot applicable (does not burn)Flammability limit, lower (%)Not applicableFlammability limit, upper (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, upper (%)Not applicable		•
FormLiquidColorClear colorless or nearly colorlessOdorOdorlessOdor thresholdNot availablepHNot availableMelting point/freezing pointNot availableInitial boiling point and boiling range212°F (100°C)Flash pointNot applicable (does not burn)Evaporation rateNot availableFlammability (solid, gas)Not applicableUpper/lower flammability or explosive limitsNot applicableFlammability limit, lower (%)Not applicableFlammability limit, upper (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicable	Appearance	
ColorClear colorless or nearly colorlessOdorOdorlessOdor thresholdNot availablepHNot availableMelting point/freezing pointNot availableInitial boiling point and boiling range212°F (100°C)Flash pointNot applicable (does not burn)Evaporation rateNot availableFlammability (solid, gas)Not applicableUpper/lower flammability or explosive limitsNot applicableFlammability limit, upper (%)Not applicableFlammability limit, upper (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableKamability limit, upper (%)Not applicableExplosive limit, lower (%)Not applicableKamability limit, upper (%)Not applicable	Physical state	Liquid
OdorOdorlessOdor thresholdNot availablepHNot availableMelting point/freezing pointNot availableInitial boiling point and boiling range212°F (100°C)Flash pointNot applicable (does not burn)Evaporation rateNot availableFlammability (solid, gas)Not applicableUpper/lower flammability or explosive limitsNot applicableFlammability limit, lower (%)Not applicableFlammability limit, upper (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicable	Form	Liquid
Odor thresholdNot availablepHNot availableMelting point/freezing pointNot availableInitial boiling point and boiling range212°F (100°C)Flash pointNot applicable (does not burn)Evaporation rateNot availableFlammability (solid, gas)Not applicableUpper/lower flammability or explosive limitsNot applicableFlammability limit, lower (%)Not applicableFlammability limit, upper (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicable	Color	Clear colorless or nearly colorless
pHNot availableMelting point/freezing pointNot availableInitial boiling point and boiling range212°F (100°C)Flash pointNot applicable (does not burn)Evaporation rateNot availableFlammability (solid, gas)Not availableUpper/lower flammability or explosive limitsNot applicableFlammability limit, lower (%)Not applicableFlammability limit, upper (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicable	Odor	Odorless
Melting point/freezing pointNot availableInitial boiling point and boiling range212°F (100°C)Flash pointNot applicable (does not burn)Evaporation rateNot availableFlammability (solid, gas)Not applicableUpper/lower flammability or explosive limitsNot applicableFlammability limit, lower (%)Not applicableFlammability limit, upper (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableKot applicableNot applicable	Odor threshold	Not available
Initial boiling point and boiling range212°F (100°C)Flash pointNot applicable (does not burn)Evaporation rateNot availableFlammability (solid, gas)Not applicableUpper/lower flammability or explosive limitsNot applicableFlammability limit, lower (%)Not applicableFlammability limit, upper (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableKapplosive limit, lower (%)Not applicableNot applicableNot applicable	рН	Not available
rangeNot applicable (does not burn)Flash pointNot applicable (does not burn)Evaporation rateNot availableFlammability (solid, gas)Not applicableUpper/lower flammability or explosive limitsNot applicableFlammability limit, lower (%)Not applicableFlammability limit, upper (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicable	Melting point/freezing point	Not available
Evaporation rateNot availableFlammability (solid, gas)Not applicableUpper/lower flammability or explosive limitsNot applicableFlammability limit, lower (%)Not applicableFlammability limit, upper (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, lower (%)Not applicableKather in the state of the state o	01 0	212°F (100°C)
Flammability (solid, gas)       Not applicable         Upper/lower flammability or       explosive limits         Flammability limit, lower (%)       Not applicable         Flammability limit, upper (%)       Not applicable         Explosive limit, lower (%)       Not applicable	Flash point	Not applicable (does not burn)
Upper/lower flammability or explosive limits         Flammability limit, lower (%)         Flammability limit, upper (%)         Explosive limit, lower (%)         Explosive limit, lower (%)         Explosive limit, Not applicable         lower (%)         Explosive limit, Not applicable         lower (%)         Explosive limit, Not applicable	Evaporation rate	Not available
explosive limits       Flammability limit, limit, lower (%)       Not applicable         Flammability limit, upper (%)       Not applicable         Explosive limit, lower (%)       Not applicable         Explosive limit, lower (%)       Not applicable         Explosive limit, Not applicable       Not applicable	Flammability (solid, gas)	Not applicable
Iower (%)Not applicableFlammability limit, upper (%)Not applicableExplosive limit, lower (%)Not applicableExplosive limit, Not applicableNot applicable	•••	
upper (%)Not applicableExplosive limit,Not applicableExplosive limit,Not applicable	<b>.</b> ,	Not applicable
lower (%) Explosive limit, Not applicable		Not applicable
		Not applicable
		Not applicable

Vapor pressure	17 mm Hg
Vapor density	0.6
Relative density	1.00 g/cm <sup>3</sup>
Solubility(ies)	
Solubility (water)	Soluble in all proportions
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Viscosity	Not available
Other information	
Explosive properties	Not applicable
Oxidizing properties	Not applicable
Percent volatile	99%
Specific gravity	1.00

# 10. Stability and reactivity

Reactivity	This product is stable and nonreactive under normal conditions of use, storage, and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use
Conditions to avoid	Contact with incompatible materials. Do not use in areas without adequate ventilation.
Incompatible materials	Aluminum. Ammonia. Fluorine. Lithium. Phosphorous pentoxide. Silver nitrate. Strong acids.
Hazardous decomposition products	None known. For hazardous combustion products, refer to section 5 of the SDS.

# 11. Toxicological information

# Information on likely routes of exposure

internation on intery reacted of	expectate	
Inhalation	May cause irritation to the re	espiratory system
Skin contact	May cause slight or mild tra	nsient irritation
Eye contact	May cause serious eye irrita	ation
Ingestion	May cause irritation, nausea	a, vomiting, and diarrhea
Most important symptoms/effects, acute	Direct skin contact may cau and itching.	se slight or mild transient irritation. Symptoms may include redness
and delayed	Direct eye contact may caus tearing, redness, swelling, a	se slight or mild transient irritation. Symptoms may include stinging, ind blurred vision.
	Inhalation of mists can caus breathing difficulties.	se respiratory irritation. Symptoms may include coughing and
	Ingestion may cause gastro	intestinal irritation, nausea, vomiting, and diarrhea.
Acute toxicity	This product is not classifier acute toxicity data.	d as an acute toxicity hazard. See below for individual ingredient
Components	Species	Test Results
Sodium carbonate (CAS 497-1	9-8)	
Acute		
Dermal		
LD <sub>50</sub>	Rabbit	>2000 mg/kg
Inhalation		
LC <sub>50</sub>	Rat	2.3 mg/L, 4 hours (dust)
Oral		

2800 mg/kg

Rat

LD<sub>50</sub>

Deionized water (CAS 7732-18-5	)	
Acute		
Dermal		
LD <sub>50</sub>	Rabbit	Not available
Inhalation		
LC <sub>50</sub>	Rat	Not available
Oral		
LD <sub>50</sub>	Rat	>89840 mg/kg
Skin corrosion/irritation	Causes skin irritation	
Serious eye damage/eye irritation	Causes severe eye irritation	
Respiratory sensitization	Not expected to be a respiratory sensitizer	
Skin sensitization	Not expected to be a skin sensitizer	
Germ cell mutagenicity	Not expected to be mutagenic	
Carcinogenicity	This product is not considered to be a carcinog	gen by IARC, NTP, OSHA or U.S. ACGIH
OSHA Specifically Regulated	d Substances (29 CFR 1910.1001-1096)	
Not regulated		
Reproductive toxicity	This product is not expected to cause reproduce	ctive or developmental effects.
Specific target organ toxicity, single exposure	Not classified as a specific target organ toxicity	y – single exposure
Specific target organ toxicity, repeated exposure	Not classified as a specific target organ toxicity	y – repeated exposure
Aspiration toxicity	Not expected to be an aspiration hazard	
Chronic effects	Frequent or prolonged contact may dry the ski	n, leading to discomfort and dermatitis.

# 12. Ecological information

Ecotoxicity

This product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment

	possibility that large or frequent spills can have	a harmful or damaging effect on the environment.
Components	Species	Test Results
Sodium carbonate (CAS 497-19-	8)	
Acute		
Crustacea		
EC <sub>50</sub>	Water flea (Ceriodaphnia dubia)	200 mg/L, 48 hours
Fish		
LC <sub>50</sub>	Western mosquito fish (Gambusia affinis)	740 mg/L, 96 hours
Persistence and degradability	Not available	
Bioaccumulative potential	Not available	
Mobility in soil	High water solubility indicates a high mobility in soil.	
Other adverse effects	No other adverse environmental effects (e.g., ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal consideration	IS	
Disposal instructions	Collect and reclaim or dispose in sealed contai contents/container in accordance with local/reg	iners at licensed waste disposal site. Dispose of gional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regu	lations.
Hazardous waste code	The waste code should be assigned in discussion with the user, the producer, and the waste disposal company.	
Waste from residues/unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (refer to Disposal instructions).	
Contaminated packaging	Empty containers should be taken to an approved waste-handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.	

## 14. Transportation information

DOT

Not regulated as dangerous goods

ΙΑΤΑ Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods

Transport in bulk according to Not available Annex II of MARPOL 73/78 and the IBC Code

#### 15. Regulatory information

U.S. federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory list. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated **CERCLA Hazardous Substance (40 CFR 302.4)** Disodium phosphate (CAS 7558-79-4) SARA 304 Emergency Release Notification Not regulated OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096) Not regulated Superfund Amendments and Reauthorization Act of 1986 (SARA) **Hazard categories** Immediate hazard - yes Delayed hazard - no Fire hazard – no Pressure hazard - no Reactivity hazard - no SARA 302 Extremely Hazardous Substance Not regulated SARA 311/312 Hazardous Chemical Not regulated SARA 313 (TRI reporting) Not regulated Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAP) Not regulated Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated Safe Drinking Water Act (SDWA) Not regulated U.S. state regulations California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not regulated Massachusetts Right-to-Know Act Not regulated New Jersey Worker and Community Right-to-Know Act Not regulated Pennsylvania Worker and Community Right-to-Know Act Not regulated **Rhode Island Right-to-Know Act** Not regulated **California Proposition 65** California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International inventories

#### Country(ies) or region Inventory name

On inventory

, , ,	2	
		(yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	yes
Canada	Domestic Substances List (DSL)	yes
Canada	Non-Domestic Substances List (NDSL)	no
China	Inventory of Existing Chemical Substances Produced or Imported in China (IECSC)	yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	yes
Europe	European List of Notified Chemical Substances (ELINCS)	no
Japan	Existing and New Chemical Substances (ENCS)	yes
Korea	Existing Chemicals List (ECL)	yes
New Zealand	New Zealand Inventory of Chemicals (NZIoC)	yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA)	yes

\*A "yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(ies).

A "no" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(ies).

### 16. Other information, including date of preparation or last revision

List of abbreviations ACGIH: American Conference of Governmental Industrial Hygienists AICS: Australian Inventory of Chemical Substances CAA: Clean Air Act CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act CFR: Code of Federal Regulations CSA: Canadian Standards Association DEA: Drug Enforcement Agency DOT: Department of Transportation **DSL: Domestic Substances List** EC: effective concentration ECL: Existing Chemicals List EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances ENCS: Existing and New Chemical Substances EPA: Environmental Protection Agency HAP: hazardous air pollutants HMIS: Hazardous Materials Identification System HNOC: hazards not otherwise classified HPA: Hazardous Products Act HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer IATA: International Air Transport Association IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk ICAO: International Civil Aviation Organization IECSC: Inventory of Existing Chemical Substances Produced or Imported in China IMDG: International Maritime Dangerous Goods IUCLID: International Uniform Chemical Information Database LC: lethal concentration LD: lethal dose MARPOL: marine pollution MSHA: Mine Safety and Health Administration NDSL: Non-Domestic Substances List NFPA: National Fire Protection Association NIOSH: National Institute of Occupational Safety and Health NOEC: no observable effect concentration NTP: National Toxicology Program NZIoC: New Zealand Inventory of Chemicals OECD: Organisation for Economic Co-operation and Development OEL: occupational exposure limits OSHA: Occupational Safety and Health Administration PEL: permissible exposure limits

	PICCS: Philippine Inventory of Chemicals and Chemical Substances PPE: personal protective equipment RCRA: Resource Conservation and Recovery Act RQ: reportable quantity RTECS: Registry of Toxic Effects of Chemical Substances RTK: right to know SARA: Superfund Amendments and Reauthorization Act SDS: Safety Data Sheet SDWA: Safe Drinking Water Act STEL: short-term exposure limit TLV: threshold limit values TSCA: Toxic Substances Control Act TWA: time-weighted average VOC: volatile organic compounds
Disclaimer	WEL: workplace exposure limit The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process. License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be changed, or altered, in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.
Issue date	May 2015
Last revision	May 2015