# SAFETY DATA SHEET

**Issuing Date** No data available

Revision Date 18-Feb-2015

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	INDICATOR SOLUTION #1
Other means of identification	
UN-No.	UN1789
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Swimming Pool Repair & Maintenance
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name Supplier Address Supplier Phone Number Supplier Email <u>Emergency telephone number</u>	Poolmaster 770 Del Paso Road Sacramento California 95834 US Phone:916.567.9800 Fax:916.567.9880 Contact Phone9165679800 purchasing@poolmaster.com 24 HOUR EMERGENCY NUMBER (CHEM-TEL): USA, Canada, Puerto Rico
	800-255-3924. Outside North American Continent: 813-248-0585 (Call Collect If Necessary)

# 2. HAZARDS IDENTIFICATION

#### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)



Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 2

#### GHS Label elements, including precautionary statements

Emergency Overview						
Signal word	Danger					
Hazard Statem Causes severe Suspected of c	skin burns and eye damage					
Appearance	Clear, colorless	Physical State	Liquid		Odo	<b>r</b> Odorless

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant



#### Hazards not otherwise classified (HNOC)

Not applicable

#### Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

No information available

#### Interactions with Other Chemicals

No information available.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Hazard	CAS#	Name	Weight-%	PEL	TLV
Yes	612-82-8	Ortho-tolidine dihydrochloride hydrate (3,3'- Dimethylbenzidine dihydrochloride)	<0.13	None Established	None Established
Yes	7647-01-0	Hydrogen Chloride	5.14	Ceiling 5 ppm (7mg/m3)	Ceiling 2ppm
No	7732-18-5	Water	to 100	None Established	None Established

# 4. FIRST AID MEASURES

#### First aid measures

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, (trained personnel should) give oxygen. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.



**Self-protection of the first aider** Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

#### Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Effects

#### Indication of any immediate medical attention and special treatment needed

Notes to PhysicianProduct is a corrosive material. Use of gastric lavage or emesis is<br/>contraindicated. Possible perforation of stomach or esophagus should be<br/>investigated. Do not give chemical antidotes. Asphyxia from glottal edema may<br/>occur. Marked decrease in blood pressure may occur with moist rales, frothy<br/>sputum, and high pulse pressure.

### **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

CO2 (except for Cyanides), dry chemical, dry sand, alcohol-resistant foam. Water spray, fog or alcohol-resistant foam. Move containers from fire area if you can do it without risk. Use water spray or fog; do not use straight streams. Dike fire control water for later disposal; do not scatter the material.

#### Unsuitable extinguishing media

Note: Most foams will react with the material and release corrosive/toxic gases.

#### Specific Hazards Arising from the Chemical

Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Substance will react with water (some violently), releasing corrosive and/or toxic gases. Reaction with water may generate much heat which will increase the concentration of fumes in the air. Containers may explode when heated or if contaminated with water.

Uniform Fire Code Corrosive: Acid-Liquid

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if you can do it without risk.
Other Information	DO NOT GET WATER INSIDE CONTAINERS.
Environmental Precautions	
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas. Use water spray to reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled material.
Methods and material for containn	nent and cleaning up
Methods for Containment	A vapor suppressing foam may be used to reduce vapors. Cover with DRY earth, DRY sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.
Methods for cleaning up	Soak up with inert absorbent material. Use clean non-sparking tools to collect material and place it into loosely covered plastic containers for later disposal.

# 7. HANDLING AND STORAGE

Precautions for safe handling			
Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.		
Conditions for safe storage, including any incompatibilities			
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.		
Incompatible Products	Acids. Bases. Oxidizing agent.		
8. EXP	OSURE CONTROLS/PERSONAL PROTECTION		

#### **Control parameters**

**Exposure Guidelines** 



Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH		
Hydrogen Chloride 7647-01-0	Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>		
ACGIH TLV: American Conference of Gov Administration - Permissible Exposure Lin			cupational Safety and Health		
Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters				
Appropriate engineering controls					
Engineering Measures	Showers Eyewash stations Ventilation systems				
Individual protection measures, such as personal protective equipment					
Eye/Face Protection	Face protection shield.				
Skin and Body Protection	Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves.				
Respiratory Protection		eded under normal use conditic enced, ventilation and evacuati			
Hygiene Measures	contaminated clothing and was Wear suitable gloves and eye/ product. Contaminated work cl cleaning of equipment, work as	od industrial hygiene and safety sh before reuse. Avoid contact face protection. Do not eat, drir lothing should not be allowed o rea and clothing is recommende the product. For environmentative equipment before re-use.	with skin, eyes or clothing. hk or smoke when using this ut of the workplace. Regular ed. Wash hands before breaks		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Physical State Appearance Color	Liquid Clear, colorless No information available	Odor Odor Threshold	Odorless No information available
Property_	Values	Remarks Method	
рН	0.01	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	100 °C /212 °F	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Soluble in water	None known	

Solubility in other solvents	No data available
Partition coefficient: n-octanol/wate	rNo data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidizing Properties	No data available

#### **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available No data available None known None known None known None known None known

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

#### Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

#### Incompatible materials

Acids. Bases. Oxidizing agent.

#### **Hazardous Decomposition Products**

Carbon oxides.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Product Information**

Inhalation

Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.



Eye Contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin Contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen Chloride 7647-01-0	= 700 mg/kg (Rat)	>5010 mg/kg (Rabbit)	= 3124 ppm (Rat)1 h

#### Information on toxicological effects

Symptoms Erythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

```
Mutagenic Effects
                                     No information available.
```

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

OSHA			
ACGIH (American Conference of Governmental Industrial Hygienists)			

A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans **NTP (National Toxicology Program)** Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.



Chronic Toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Contains a known or suspected carcinogen.	
Target Organ Effects	Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Teeth.	
Aspiration Hazard	No information available.	

#### Numerical measures of toxicity Product Information

# The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 13,619.00 mg/kg ATEmix (inhalation-gas) 30,389.00 ppm (4 hr) ATEmix (inhalation-dust/mist) 9.75 mg/l ATEmix (inhalation-vapor) 58.00 ATEmix

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Harmful to aquatic life.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Hydrogen Chloride 7647-01-0		96h LC50: = 282 mg/L (Gambusia affinis)		

#### Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.



# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.
US EPA Waste Number	D002

California Hazardous Waste Codes 791

# **14. TRANSPORT INFORMATION**

DOT UN-No. Proper Shipping Name Hazard Class Packing Group Description Emergency Response Guide Number	UN1789 HYDROCHLORIC ACID 8 III UN1789, HYDROCHLORIC ACID, 8, III 157
<u>TDG</u> UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1789 HYDROCHLORIC ACID 8 III UN1789, HYDROCHLORIC ACID, 8, III
<u>MEX</u> UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1789 HYDROCHLORIC ACID 8 III UN1789, HYDROCHLORIC ACID, 8, III
<u>ICAO</u> UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1789 HYDROCHLORIC ACID 8 III UN1789, HYDROCHLORIC ACID, 8, III
IATA_ UN-No. Proper Shipping Name Hazard Class Packing Group	UN1789 NON REGULATED N/A III



Description	UN1789, HYDROCHLORIC ACID, 8, III
IMDG/IMO UN-No. Proper Shipping Name Hazard Class Packing Group EmS-No. Description	UN1789 HYDROCHLORIC ACID N/A III F-A, S-B UN1789, HYDROCHLORIC ACID, 8, III
<u>RID</u> UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description	UN1789 HYDROCHLORIC ACID 8 III C1 UN1789, HYDROCHLORIC ACID, 8, III
ADR UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Tunnel restriction code Description	UN1789 HYDROCHLORIC ACID 8 III C1 (E) UN1789, HYDROCHLORIC ACID, 8, III
ADN UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Special Provisions Description Limited Quantity	UN1789 HYDROCHLORIC ACID 8 III C1 520 UN1789, HYDROCHLORIC ACID, 8, III 5 L

# **15. REGULATORY INFORMATION**

#### International Inventories

TSCA DSL

Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

SARA 313 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Hydrogen Chloride - 7647-01-0	7647-01-0	3 - 7	1.0

3,3`-Dimethylbenzidine dihydrochloride - 612-82-8	612-82-8	0.1 - 1	0.1
SARA 311/312 Hazard Categories		-	
Acute Health Hazard	Yes		
Chronic Health Hazard	Yes		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen Chloride 7647-01-0	5000 lb			Х

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrogen Chloride	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ
UC State Demulations			

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65		
3,3`-Dimethylbenzidine dihydrochloride - 612-82-8	Carcinogen		
IIS State Pight-to-Know Pegulations			

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
3,3 <sup>-</sup> Dimethylbenzidine dihydrochloride	Х			Х	
612-82-8					

#### International Regulations

#### Mexico

#### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Hydrogen Chloride		Mexico: Ceiling 5 ppm
7647-01-0(3-7)		Mexico: Ceiling 7 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

WHMIS Hazard Class E - Corrosive material D2A - Very toxic materials





# 

# 16. OTHER INFORMATION

NFPA HMIS	Health Hazards 3 Flammability 0 Health Hazards 3 * Flammability 0	Instability 0 Physical Hazard 0	Physical and Chemical Hazards - Personal Protection
Chronic Hazard Star	<b>Legend</b> * = Chronic Health Hazard	,	Х
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501		
Revision Date Revision Note	18-Feb-2015 No information available		

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

#### End of Safety Data Sheet



# SAFETY DATA SHEET

**Issuing Date** No data available

Revision Date 04-Nov-2014

**Revision Number** 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name	INDICATOR SOLUTION #2		
Other means of identification			
Synonyms	None		
Recommended use of the chemica	I and restrictions on use		
Recommended Use	Swimming Pool Repair & Maintenance		
Uses advised against	No information available		
Details of the supplier of the safety	v data sheet		
Supplier Name Supplier Address	Poolmaster 770 Del Paso Road Sacramento California 95834 US		
Supplier Phone Number	Phone:916.567.9800 Fax:916.567.9880 Contact Phone9165679800		
Supplier Email	cgriffin@poolmaster.com		
Emergency telephone number			

# 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### **GHS Label elements, including precautionary statements**

**Emergency Overview** 

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Red

Physical State Liquid

Odor Odorless

**Precautionary Statements - Prevention** Obtain special instructions before use

Precautionary Statements - Response None

Precautionary Statements - Storage None

Precautionary Statements - Disposal None

Hazards not otherwise classified (HNOC)

Not applicable

<u>Unknown Toxicity</u> 0.1% of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

May cause slight eye irritation PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

#### Interactions with Other Chemicals

No information available.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

. The product contains no substances which at their given concentration, are considered to be hazardous to health.

# 4. FIRST AID MEASURES

#### First aid measures

Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
Skin Contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.
Most important symptoms and	effects, both acute and delayed

# Most Important Symptoms and No information available. Effects

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

# Specific Hazards Arising from the Chemical

No information available.

#### Hazardous Combustion Products

Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with eyes.
Environmental Precautions	
Environmental Precautions	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containme	ent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE Precautions for safe handling Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes. Conditions for safe storage, including any incompatibilities Storage Keep container tightly closed. **Incompatible Products** None known based on information supplied. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION **Control parameters Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies Appropriate engineering controls **Engineering Measures** Showers Evewash stations Ventilation systems Individual protection measures, such as personal protective equipment **Eye/Face Protection** No special protective equipment required. **Skin and Body Protection** No special protective equipment required. No protective equipment is needed under normal use conditions. If exposure limits are **Respiratory Protection** exceeded or irritation is experienced, ventilation and evacuation may be required. Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

•••••	No information available
°FNone knownFNone knowneNone knowneNone known	ethod
	Provide a constraint of the second se



Lower flammability limit	No data available
Vapor pressure	No data available
Vapor density	No data available
Specific Gravity	No data available
Water Solubility	Soluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/wate	<b>r</b> No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidizing Properties	No data available
Other Information	
Softening Point	No data available
VOC Content (%)	No data available

None known None known

# **10. STABILITY AND REACTIVITY**

No data available

#### **Reactivity**

**Particle Size** 

**Particle Size Distribution** 

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

None known based on information supplied.

#### **Hazardous Decomposition Products**

Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	Specific test data for the substance or mixture is not available.
Eye Contact	Specific test data for the substance or mixture is not available.
Skin Contact	Specific test data for the substance or mixture is not available.

#### Ingestion

Specific test data for the substance or mixture is not available.

#### **Component Information**

#### Information on toxicological effects

Symptoms	No information available.			
Delayed and immediate effects as well as chronic effects from short and long-term exposure				
Sensitization	No information available.			
Mutagenic Effects	No information available.			
Carcinogenicity	Contains no ingredient listed as a carcinogen.			
Reproductive Toxicity	No information available.			
STOT - single exposure	No information available.			
STOT - repeated exposure	No information available.			
Chronic Toxicity	No known effect based on information supplied.			
Target Organ Effects	None known.			
Aspiration Hazard	No information available.			

#### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

#### Persistence and Degradability No information available.

#### **Bioaccumulation** No information available

#### Other adverse effects

No information available.



# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

# **14. TRANSPORT INFORMATION**

ADN	Not regulated
ADR	Not regulated
RID	Not regulated
IMDG/IMO	Not regulated
IATA	Not regulated
ICAO	Not regulated
<u>MEX</u>	Not regulated
TDG	Not regulated
DOT	NOT REGULATED

# **15. REGULATORY INFORMATION**

#### International Inventories

TSCACompliesDSLAll components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

# <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No



#### **Reactive Hazard**

No

# CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

#### International Regulations

#### Canada WHMIS Hazard Class Non-controlled

16. OTHER INFORMATION				
NFPA	Health Hazards 1	Flammability 0	Instability 0	Physical and Chemical Hazards
HMIS	Health Hazards 1	Flammability 0	Physical Hazard 0	Personal Protection
Prepared By	23 British Latham,	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501		
Revision Date Revision Note	04-Nov-2 No inforn	2014 nation available		

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

#### **End of Safety Data Sheet**



# SAFETY DATA SHEET

**Issuing Date** No data available

Revision Date 04-Nov-2014

**Revision Number** 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name	INDICATOR SOLUTION #3
Other means of identification	
Synonyms	None
Recommended use of the chemica	al and restrictions on use
Recommended Use	Swimming Pool Repair & Maintenance
Uses advised against	No information available
Details of the supplier of the safet	y data sheet
Supplier Name Supplier Address	Poolmaster 770 Del Paso Road Sacramento California 95834 US
Supplier Phone Number	Phone:916.567.9800 Fax:916.567.9880 Contact Phone9165679800
Supplier Email	cgriffin@poolmaster.com
Emergency telephone number	

# 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

#### GHS Label elements, including precautionary statements

**Emergency Overview** 



Signal word	Danger		
Hazard Statements			
Causes severe skin burns	and eye damage		
$\land$			
•			
Appearance Clear	Physical S	tate Liquid	Odor Odorless

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

<u>Unknown Toxicity</u> 0% of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

No information available

#### Interactions with Other Chemicals

No information available.



# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Hydrogen chloride	7647-01-0	0.1 - 1	*

# 4. FIRST AID MEASURES

#### First aid measures

<u>General Advice</u>	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Remove to fresh air. If symptoms persist, call a physician. If breathing has stopped, give artificial respiration. Get medical attention immediately. If not breathing, give artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
	5. FIRE-FIGHTING MEASURES
<b>Suitable Extinguishing Media</b> Use extinguishing measures that are a	appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media CAUTION: Use of water spray when t	ighting fire may be inefficient.
Specific Hazards Arising from the C The product causes burns of eyes, ski and vapors.	hemical n and mucous membranes. Thermal decomposition can lead to release of irritating gases
Uniform Fire Code	Corrosive: Acid-Liquid
Hazardous Combustion Products Carbon oxides.	
Explosion Data Sensitivity to Mechanical Impact	No.
Sensitivity to Static Discharge	No.
Protective equipment and precautic As in any fire, wear self-contained bre protective gear.	ons for firefighters athing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental Precautions	
Environmental Precautions Methods and material for containm	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
Methods for Containment Methods for cleaning up	Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

#### Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

**Incompatible Products** 

Acids. Bases. Oxidizing agent.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen chloride 7647-01-0	Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>
ACGIH TLV: American Conference of Gov Administration - Permissible Exposure Lim			cupational Safety and Health
Other Exposure Guidelines	Vacated limits revoked by the ( (11th Cir., 1992)	Court of Appeals decision in AF	FL-CIO v. OSHA, 965 F.2d 962
Appropriate engineering controls			
Engineering Measures	Showers Eyewash stations Ventilation systems		
Individual protection measures, su	ch as personal protective equi	<u>pment</u>	
Eye/Face Protection	Face protection shield.		
Skin and Body Protection	Wear protective gloves and pro apron. Impervious gloves.	otective clothing. Long sleeved	clothing. Chemical resistant
Respiratory Protection	No protective equipment is nee exceeded or irritation is experie		

Odorless

No information available

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all contaminated protective equipment before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

**Particle Size Distribution** 

Physical State	Liquid	
Appearance	Clear	Odor
Color	No information available	Odor Threshold
<b>D</b>	Male and	
Property	Values	Remarks/ Method
pH	1	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	100 °C / 212 °F	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	Soluble in water	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/wate	erNo data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No data available	
Oxidizing Properties	No data available	
Other Information		
Softening Point	No data available	
VOC Content (%)	No data available	
Particle Size	No data available	

# **10. STABILITY AND REACTIVITY**

### **Reactivity**

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

#### Incompatible materials

Acids. Bases. Oxidizing agent.

#### **Hazardous Decomposition Products**

Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye Contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin Contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50



Hydrogen chloride	= 700 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 3124 ppm (Rat)1 h
7647-01-0			

#### Information on toxicological effects

Symptoms	Erythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.		
Delayed and immediate effects as v	as well as chronic effects from short and long-term exposure		
Sensitization	No information available.		
Mutagenic Effects	No information available.		
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.		

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrogen chloride 7647-01-0		Group 3		

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Group S	our chrogerneity in r	lumans

Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen.
Target Organ Effects	Respiratory system. Eyes. Skin. Gastrointestinal tract (GI).
Aspiration Hazard	No information available.

Numerical measures of toxicity Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist) 217.83 mg/l ATEmix (inhalation-vapor) 1,304.00 ATEmix

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Harmful to aquatic life.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Hydrogen chloride 7647-01-0		96h LC50: = 282 mg/L (Gambusia affinis)		

#### Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.
US EPA Waste Number	D002

California Hazardous Waste Codes 122 791

# **14. TRANSPORT INFORMATION**

DOT	NOT REGULATED
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

# **15. REGULATORY INFORMATION**



#### International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Hydrogen chloride - 7647-01-0	7647-01-0	0.1 - 1	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	Yes		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

			Substances
Hydrogen chloride 7647-01-0	5000 lb		Х

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrogen chloride 7647-01-0	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical NameNew JerseyMassachusettsPennsylvaniaRhode IslandIllinoisHydrogen chlorideXXXXX7647-01-0XXXXX

#### International Regulations

Component	Carcinogen Status	Exposure Limits
Hydrogen chloride		Mexico: Ceiling 5 ppm
7647-01-0 ( 0.1 - 1 )		Mexico: Ceiling 7 mg/m <sup>3</sup>

Canada



#### WHMIS Hazard Class

E - Corrosive material



# **16. OTHER INFORMATION**

NFPA HMIS	Health Hazards 3	Flammability 0 Flammability 0	Instability 0 Physical Hazard 0	Physical and Chemical Hazards - Personal Protection
-			<b>,</b>	Х
Prepared By		Stewardship		
		American Blvd.		
	Latham, I	NY 12110		
	1-800-572	2-6501		
Revision Date	04-Nov-2	014		
Revision Note	No inform	nation available		

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

#### End of Safety Data Sheet

# SAFETY DATA SHEET

**Issuing Date** No data available

Revision Date 04-Nov-2014

**Revision Number** 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name	INDICATOR SOLUTION #4	
Other means of identification		
Synonyms	None	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Swimming Pool Repair & Maintenance	
Uses advised against	No information available	
Details of the supplier of the safety	data sheet	
Supplier Name Supplier Address	Poolmaster 770 Del Paso Road Sacramento California 95834 US	
Supplier Phone Number	Phone:916.567.9800 Fax:916.567.9880 Contact Phone9165679800	
Supplier Email Emergency telephone number	cgriffin@poolmaster.com	

# 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

#### GHS Label elements, including precautionary statements

**Emergency Overview** 



Signal word	Danger	
Hazard Statements		
Causes severe skin burns	and eye damage	
Appearance Clear, cold	Physical State Liquid	Odor Odorles

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

<u>Unknown Toxicity</u> 3% of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

No information available

#### Interactions with Other Chemicals

No information available.



# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

The product contains no substances which at their given concentration, are considered to be hazardous to health.

# **4. FIRST AID MEASURES**

First aid measures	First a	aid	measures
--------------------	---------	-----	----------

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Remove to fresh air. If symptoms persist, call a physician. If breathing has stopped, give artificial respiration. Get medical attention immediately. If not breathing, give artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

#### Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Effects

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Uniform Fire Code CORROSIVE: BASE-LIQUID

<u>Hazardous Combustion Products</u> Carbon oxides.

#### Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Environmental Precautions		
Environmental Precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.	
Methods and material for containment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.	
Conditions for safe storage, includ	ing any incompatibilities	
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.	
Incompatible Products	Acids. Bases. Oxidizing agent.	
8. EXP	OSURE CONTROLS/PERSONAL PROTECTION	
Control parameters		
Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies	
Appropriate engineering controls		
Engineering Measures	Showers Eyewash stations Ventilation systems	
Individual protection measures, su	ch as personal protective equipment	
Eye/Face Protection	Face protection shield.	
Skin and Body Protection	Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves.	
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all contaminated protective equipment before re-use.	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical State	Liquid		
Appearance	Clear, colorless	Odor	Odorless
Color	No information available	Odor Threshold	No information available



Property	Values
pH	12
Melting / freezing point	No data available
Boiling point / boiling range	100 °C / 212 °F
Flash Point	No data available
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Flammability Limit in Air	
Upper flammability limit	No data available
Lower flammability limit	No data available
Vapor pressure	No data available
Vapor density	No data available
Specific Gravity	No data available
Water Solubility	Soluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/wate	
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidizing Properties	No data available

#### **Other Information**

**Softening Point** VOC Content (%) **Particle Size Particle Size Distribution**  No data available No data available No data available

## Remarks/ Method None known None known

None known None known None known None known None known None known

## **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

#### **Incompatible materials**

Acids. Bases. Oxidizing agent.

#### **Hazardous Decomposition Products** Carbon oxides.

## **11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure



Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye Contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin Contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

## **Component Information**

## Information on toxicological effects

Symptoms	Erythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.				
Delayed and immediate effects as	well as chronic effects from short and long-term exposure				
Sensitization	No information available.				
Mutagenic Effects	No information available.				
Carcinogenicity	Contains no ingredient listed as a carcinogen.				
Reproductive Toxicity	No information available.				
STOT - single exposure	No information available.				
STOT - repeated exposure	No information available.				
Chronic Toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen.				
Target Organ Effects	Respiratory system. Eyes. Skin. Gastrointestinal tract (GI).				
Aspiration Hazard	No information available.				
Numerical measures of toxicity Pr	oduct Information				



The following values are calculated based on chapter 3.1 of the GHS document Not applicable

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Harmful to aquatic life.

## Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.

## **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

#### California Hazardous Waste Codes 135

## **14. TRANSPORT INFORMATION**

DOT	NOT REGULATED
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated



## **15. REGULATORY INFORMATION**

#### International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

#### International Regulations

Canada WHMIS Hazard Class E - Corrosive material



## **16. OTHER INFORMATION**



NFPA HMIS	Health Hazards 3 Health Hazards 3	Flammability 0 Flammability 0	Instability 0 Physical Hazard 0	Physical and Chemical Hazards - Personal Protection X
Prepared By Revision Date	23 British			
Revision Note	• • • • • • =	nation available		

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

#### End of Safety Data Sheet

# SAFETY DATA SHEET

#### Issuing Date No data available

Revision Date 24-Oct-2014

**Revision Number** 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name	INDICATOR SOLUTION #5
Other means of identification	
Synonyms	None
Recommended use of the chemica	al and restrictions on use
Recommended Use	Swimming Pool Repair & Maintenance
Uses advised against	No information available
Details of the supplier of the safet	y data sheet
Supplier Name Supplier Address	Poolmaster 770 Del Paso Road Sacramento California 95834 US
Supplier Phone Number	Phone:916.567.9800 Fax:916.567.9880 Contact Phone9165679800
Supplier Email	cgriffin@poolmaster.com
Emergency telephone number	

## 2. HAZARDS IDENTIFICATION

#### **Classification**


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2
Flammable liquids	Category 3

#### GHS Label elements, including precautionary statements

**Emergency Overview** 





Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

#### **Precautionary Statements - Response**

#### Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

#### Unknown Toxicity 0.34% of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION



## Interactions with Other Chemicals

No information available.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Isopropyl alcohol	67-63-0	10 - 30	*

The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

#### First aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, (trained personnel should) give oxygen.
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Effects

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.



## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Dry chemical, CO2, water spray or regular foam. Use water spray or fog; do not use straight streams.

#### Unsuitable extinguishing media

CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient.

#### **Specific Hazards Arising from the Chemical**

Some may be transported hot.

Uniform Fire Code	Irritant: Liquid
	Flammable Liquid: I-C

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge Yes.

## Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Evacuate personnel to safe areas. See section 8 for more information. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other Information	Water spray may reduce vapor; but may not prevent ignition in closed spaces.
Environmental Precautions	
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas.
Methods and material for containm	ent and cleaning up
Methods for Containment	A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.



## 7. HANDLING AND STORAGE

## Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.
Conditions for safe storage, includi	ng any incompatibilities
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.
Incompatible Products	Strong oxidizing agents. Acids. Chlorinated compounds.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	-

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters	
Appropriate engineering controls		
Engineering Measures	Showers Eyewash stations Ventilation systems	
Individual protection measures, such as personal protective equipment		
Eye/Face Protection	None required for consumer use. If splashes are likely to occur:. Tight sealing safety goggles.	
Skin and Body Protection	Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves. Antistatic boots.	

No protective equipment is needed under normal use conditions. If exposure limits are **Respiratory Protection** exceeded or irritation is experienced, ventilation and evacuation may be required. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with **Hygiene Measures** skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

**Physical State** Appearance Color

#### Property pН Melting / freezing point Boiling point / boiling range Flash Point **Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit Lower flammability limit Vapor pressure Vapor density **Specific Gravity** Water Solubility Solubility in other solvents Partition coefficient: n-octanol/waterNo data available Autoignition temperature **Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing Properties**

#### **Other Information**

**Softening Point** VOC Content (%) Particle Size **Particle Size Distribution**  Liquid Blue No information available

#### Values

UNKNOWN No data available 100 °C / 212 °F 35 C / 95 F No data available No data available

No data available No data available No data available No data available No data available Soluble in water No data available No data available

No data available No data available No data available

#### Odor **Odor Threshold**

Rubbing alcohol No information available

#### Remarks Method None known

None known None known None known None known None known

None known None known None known None known None known None known None known None known None known None known

## **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### Conditions to avoid

Heat, flames and sparks.

#### Incompatible materials

Strong oxidizing agents. Acids. Chlorinated compounds.

.

#### Hazardous Decomposition Products

Carbon oxides.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye Contact	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. May cause redness, itching, and pain. May cause temporary eye irritation.
Skin Contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat)8 h

#### Information on toxicological effects

Symptoms

May cause redness and tearing of the eyes.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure



#### Sensitization

No information available.

No information available.

**Mutagenic Effects** 

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		Х
67-63-0				

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	No known effect based on information supplied.
Target Organ Effects	Eyes. Respiratory system. Skin. Blood. Kidney. Liver. Spleen. Systemic Toxicity.
Aspiration Hazard	No information available.

#### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 27,475.00 mg/kg ATEmix (dermal) 80,000.00 mg/kg (ATE) ATEmix (inhalation-vapor) 347.57 ATEmix



## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Isopropyl alcohol 67-63-0	96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: > 1000 mg/L (Desmodesmus subspicatus)	96h LC50: > 1400000 µg/L (Lepomis macrochirus) 96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: = 9640 mg/L (Pimephales promelas)		48h EC50: = 13299 mg/L

#### Persistence and Degradability

No information available.

#### **Bioaccumulation**

Chemical Name	Log Pow
Isopropyl alcohol 67-63-0	0.05

#### Other adverse effects

No information available.

## **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

#### California Hazardous Waste Codes 133

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Isopropyl alcohol	Toxic
67-63-0	Ignitable

## 14. TRANSPORT INFORMATION

DOT	NOT REGULATED
<u>TDG</u>	Not regulated
<u>MEX</u> UN-No. Proper Shipping Name Hazard Class Packing Group	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III



Description	UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III
ICAO UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III
<u>IATA</u> UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III
IMDG/IMO UN-No. Proper Shipping Name Hazard Class Packing Group EmS-No. Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III F-E, S-E UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III, FP 35C
<u>RID</u> UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III F1 UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III
ADR UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III F1 UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III
ADN UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Special Provisions Description Hazard Labels Limited Quantity Ventilation	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III F1 274, 601, 640E UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III 3 LQ7 VE01

## **15. REGULATORY INFORMATION**

#### International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	10 - 30	1.0
SARA 311/312 Hazard Categories	-		2
Acute Health Hazard	Yes		
Chronic Health Hazard	No		
Fire Hazard	Yes		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	IIIinois
Isopropyl alcohol 67-63-0	Х	Х	Х	Х	

#### International Regulations

#### Mexico

#### National occupational exposure limits

Com	oonent	Carcinogen Status	Exposure Limits
Isoprop	yl alcohol		Mexico: TWA 400 ppm
67-63-0	(10-30)		Mexico: TWA 980 mg/m <sup>3</sup>
			Mexico: STEL 500 ppm
			Mexico: STEL 1225 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class B2 - Flammable liquid D2B - Toxic materials



# 

16. OTHER INFORMATION				
NFPA	Health Hazards 2	Flammability 3	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards 2	Flammability 3	Physical Hazard 0	Personal Protection
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501			
Revision Date Revision Note	24-Oct-2014 No information available			

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

#### **End of Safety Data Sheet**

