Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 12/02/2015 Date of issue: 10/27/2014

Version: 2.0

## **SECTION 1: IDENTIFICATION**

1.1. Product Identifier Product Form: Mixture Product Name: Nature<sup>2</sup> Spa

Synonyms: Nature<sup>2</sup> Spa™, Proclear™, Sparkle Clear™, Fresh Water AG+™, ThermoClear™; SunPurity™ Mineral Spa Sanitizer,

Vision™, Artesian Mineral Spa Sanitizer™, Monarch™ Mineral Spa Sanitizer

1.2. Intended Use of the Product

Use of the substance/mixture: Spa water sanitization and disinfection1.3. Name, Address, and Telephone of the Responsible Party

Company

Zodiac Pool Systems, Inc. 2620 Commerce Way Vista, CA 92081 (760) 599-9600

1.4. Emergency Telephone Number

Emergency Number : (CHEMTREC US) 800-424-9300 (CHEMTREC International) 703-527-3887

# **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the Substance or Mixture

# Classification (GHS-US)

Aquatic Acute 1 H400 Aquatic Chronic 1 H410 **2.2. Label Elements** 

**GHS-US Labeling** 

Hazard Pictograms (GHS-US)



GHS09

Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US) : H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements (GHS-US) : P273 - Avoid release to the environment

P391 - Collect spillage

P501 - Dispose of contents/container according to local, regional, national, and

international regulations

## 2.3. Other Hazards

Other Hazards: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

## 2.4. Unknown Acute Toxicity (GHS-US)

No data available

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substance

Not applicable

## 3.2. Mixture

| Name           | Product identifier | %       | Classification (GHS-US)                          |  |
|----------------|--------------------|---------|--|--|
| Zinc           | (CAS No) 7440-66-6 | 50 - 70 | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |  |
| Aluminum oxide | (CAS No) 1344-28-1 | 20 - 40 | Aquatic Acute 3, H402                            |  |
| Silver         | (CAS No) 7440-22-4 | 0.92    | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |  |

Full text of H-phrases: see section 16

12/02/2015 EN (English US) 1/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of First Aid Measures

**First-aid Measures General**: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

**First-aid Measures After Inhalation**: Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact**: Rinse immediately with plenty of water. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact**: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

**First-aid Measures After Ingestion**: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/Injuries After Inhalation: May cause respiratory irritation. Symptoms/Injuries After Skin Contact: May cause skin irritation. Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

## 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

# **SECTION 5: FIRE-FIGHTING MEASURES**

## 5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

# 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

#### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Other information:** Refer to Section 9 for flammability properties.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

## 6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

# 6.1.2. For Emergency Responders

**Protective Equipment:** Equip cleanup crew with proper protection. **Emergency Procedures:** Stop spill if safe to do so. Ventilate area.

## 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

## 6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

## 6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for Safe Handling

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

12/02/2015 EN (English US) 2/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Products:** Strong acids. Strong bases. Strong oxidizers.

#### 7.3. Specific End Use(s)

Spa water sanitization and disinfection.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control Parameters

| Silver (7440-22-4)         |                         |                        |
|----------------------------|-------------------------|------------------------|
| USA ACGIH                  | ACGIH TWA (mg/m³)       | 0.1 mg/m³              |
| USA NIOSH                  | NIOSH REL (TWA) (mg/m³) | 0.01 mg/m <sup>3</sup> |
| USA IDLH                   | US IDLH (mg/m³)         | 10 mg/m³               |
| USA OSHA                   | OSHA PEL (TWA) (mg/m³)  | 0.01 mg/m <sup>3</sup> |
| Aluminum oxide (1344-28-1) |                         |                        |
| USA OSHA                   | OSHA PEL (TWA) (mg/m³)  | 5 mg/m³                |

## 8.2. Exposure Controls

**Appropriate Engineering Controls** : Ensure adequate ventilation, especially in confined areas. Emergency eye wash

fountains and safety showers should be available in the immediate vicinity of any

potential exposure. Ensure all national/local regulations are observed.

**Personal Protective Equipment** : Protective goggles. Gloves. Protective clothing.







Materials for Protective Clothing: Chemically resistant materials and fabrics.Hand Protection: Wear chemically resistant protective gloves.

**Eye Protection** : Chemical goggles or safety glasses. **Skin and Body Protection** : Wear suitable protective clothing.

**Respiratory Protection** : Use a NIOSH-approved respirator or self-contained breathing apparatus whenever

exposure may exceed established Occupational Exposure Limits.

**Environmental Exposure Controls**: Do not allow the product to be released into the environment.

Consumer Exposure Controls : Do not eat, drink or smoke during use.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on Basic Physical and Chemical Properties

Physical State : Solid

Appearance : Mixture of grey colored spheres and zinc shot

Odor : None

Odor Threshold: No data availablepH: No data availableRelative Evaporation Rate (butylacetate=1): No data available

Melting Point : 2040 °C 3704 °F (Aluminum Oxide)

**Freezing Point** No data available **Boiling Point** : No data available **Flash Point** : No data available **Auto-ignition Temperature** : No data available **Decomposition Temperature** : No data available Flammability (solid, gas) No data available : No data available **Vapor Pressure** Relative Vapor Density at 20 °C : No data available **Relative Density** : No data available

Specific Gravity : 2

12/02/2015 EN (English US) 3/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility: No data availablePartition coefficient: n-octanol/water: No data availableViscosity: No data available

**9.2.** Other Information No additional information available

## **SECTION 10: STABILITY AND REACTIVITY**

- **10.1 Reactivity:** Hazardous reactions will not occur under normal conditions.
- **10.2** Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- **10.3** Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4 Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.
- **10.5** Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.
- 10.6 Hazardous Decomposition Products: Silver oxides. Aluminium oxides. Zinc oxides.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

| Silver (7440-22-4)         |               |  |
|----------------------------|---------------|--|
| LD50 Oral Rat              | > 2000 mg/kg  |  |
| Aluminum oxide (1344-28-1) |               |  |
| LD50 Oral Rat              | > 15900 mg/kg |  |
| LC50 Inhalation Rat        | > 2.3 mg/l/4h |  |

Skin Corrosion/Irritation: Not classified
Serious Eye Damage/Irritation: Not classified
Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified Carcinogenicity: Not classified Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified

**Aspiration Hazard:** Not classified

Symptoms/Injuries After Inhalation: May cause respiratory irritation. Symptoms/Injuries After Skin Contact: May cause skin irritation. Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

# **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

**Ecology - General** : Very toxic to aquatic life with long lasting effects.

| Silver (7440-22-4)         |   |  |
|----------------------------|---|--|
| LC50 Fish 1                | 0.00155 - 0.00293 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])  |  |
| EC50 Daphnia 1             | 0.00024 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])                  |  |
| LC 50 Fish 2               | 0.0062 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])       |  |
| Aluminum oxide (1344-28-1) |   |  |
| LC50 Fish 1                | 14.6 mg/l   |  |
| EC50 Daphnia 1             | 38.2 mg/l   |  |
| NOEC (acute)               | > 50 mg/l   |  |
| Zinc (7440-66-6)           |   |  |
| LC50 Fish 1                | 2.16 - 3.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])  |  |
| EC50 Daphnia 1             | 0.139 - 0.908 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])            |  |
| LC 50 Fish 2               | 0.211 - 0.269 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static]) |  |

12/02/2015 EN (English US) 4/6

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- 12.2. Persistence and Degradability No additional information available
- 12.3. Bioaccumulative Potential No additional information available
- 12.4. Mobility in Soil No additional information available
- 12.5. Other Adverse Effects

**Other Information** : Avoid release to the environment.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology - Waste Materials: Avoid release to the environment.

# **SECTION 14: TRANSPORT INFORMATION**

## 14.1 In Accordance with DOT

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (contains silver, aluminum oxide,

zinc)

Hazard Class : 9

**Identification Number** : UN3077

Label Codes : 9
Packing Group : III

Marine Pollutant : Marine pollutant

ERG Number : 171

14.2 In Accordance with IMDG

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains silver, aluminum oxide,

zinc)

Hazard Class : 9

Identification Number : UN3077

Packing Group : III
Label Codes : 9
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F

Marine pollutant : Marine pollutant

14.3 In Accordance with IATA

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains silver, aluminum oxide,

zinc)

Packing Group : III

Identification Number : UN3077

Hazard Class: 9Label Codes: 9ERG Code (IATA): 9L



## **SECTION 15: REGULATORY INFORMATION**

# 15.1 US Federal Regulations

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

PRECAUTIONARY STATEMENT

Hazards to Humans and Domestic Animals.

**CAUTION** 

In the unlikely event that a cartridge breaks, mineral media should not be ingested by humans or animals as it may cause gastric distress.

FIRST AID IF INGESTED:

Call poison control center or doctor immediately for treatment advice.

12/02/2015 EN (English US) 5/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Silver (7440-22-4)  |  |  |
|---|--|--|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |  |
| Listed on SARA Section 313 (Specific toxic chemical listings)             |  |  |
| RQ (Reportable quantity, section 304 of EPA's List of                     | 1000 lb < 100 um CERCLA/SARA RQ CHANGE TITLE |  |
| Lists):   |  |  |
| SARA Section 313 - Emission Reporting                                     | 1.0 %  |  |
| Aluminum oxide (1344-28-1)  |  |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |  |
| Listed on SARA Section 313 (Specific toxic chemical listings)             |  |  |
| SARA Section 313 - Emission Reporting                                     | 1.0 % (fibrous forms)                        |  |
| Zinc (7440-66-6)  |  |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |  |
| Listed on SARA Section 313 (Specific toxic chemical listings)             |  |  |
| SARA Section 313 - Emission Reporting 1.0 % (dust or fume only)           |  |  |

## 15.2 US State Regulations

## Silver (7440-22-4)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

## **Aluminum oxide (1344-28-1)**

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

# Zinc (7440-66-6)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

# SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision date** : 12/02/2015

Other Information : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200.

## **GHS Full Text Phrases:**

| Aquatic Acute 1   | Hazardous to the aquatic environment - Acute Hazard Category 1   |
|-------------------|--|
| Aquatic Acute 3   | Hazardous to the aquatic environment - Acute Hazard Category 3   |
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| H400              | Very toxic to aquatic life                                       |
| H402              | Harmful to aquatic life  |
| H410              | Very toxic to aquatic life with long lasting effects             |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

12/02/2015 EN (English US) 6/6